PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 5:

A61K 39/00, 39/02, 39/12, 37/02, 35/14

(11) International Publication Number:

WO 95/31997

(43) International Publication Date: 30 November 1995 (30.11.95)

(21) International Application Number:

PCT/US94/05697

(22) International Filing Date:

20 May 1994 (20.05.94)

(71) Applicant (for all designated States except US): UNITED STATES OF AMERICA, represented by THE SECRE-TARY OF THE ARMY [US/US]; Intellectuel Property Counsel of the Army, Office of The Judge Advocate General, DA, Suite 400, 901 North Stuart Street, Arlington, VA 22203-1837 (US).

(72) Inventors; and

- (75) Inventors/Applicants (for US only): REID, Robert, H. [US/US]; 10807 McComas Court, Kensington, MD 20895 (US). SADEGH-NASSERI, Scheherazade [US/US]; 13600 Straw-Bale Lane, Darnestown, MD 20878 (US). WOLFF, Marcia [US/US]; 9850 Hollow Glen Place, Silver Spring, MD 20910 (US). NAUSS, Jeffrey, L. [US/US]; 142 Martha Lane, Fairfield, OH 45014 (US).
- (74) Agent: NORRIS, Jerome, J.; Suite 1250, 1401 New York Avenue, N.W., Washington, DC 20005 (US).

(81) Designated States: AT, AU, BB, BG, BR, CA, CH, CZ, DE, DK, ES, FI, GB, HU, JP, KP, KR, LK, LU, MG, MN, MW, NL, NO, NZ, PL, PT, RO, RU, SD, SE, SK, UA, US, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Published

With international search report.

(54) Title: MODEL FOR TESTING IMMUNOGENICITY OF PEPTIDES

(57) Abstract

Assay methods for determining whether a peptide is likely to be immunogenic are based on a computer modeling of binding to a Class II MHC DR1 receptor. This is confirmed by competitive inhibition binding assays. The peptides are useful for eliciting an immune response for vaccination or the production of antibodies or T-cells.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	rt	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgystan	RU	Russian Federation
CF	Central African Republic	KР	Democratic People's Republic	SD	Sudan
CG	Congo		of Korea	SE	Sweden
CH	Switzerland	KR	Republic of Korea	SI	Slovenia
CI	Côte d'Ivoire	KZ	Kazakhstan	SK	Slovakia
CM	Cameroon	Li	Liechtenstein	SN	Senegal
CN	China	LK	Sri Lanka	TD	Chad
CS	Czechoslovakia	ŁU	Luxembourg	TG	Togo
CZ	Czech Republic	LV	Latvia	TJ	Tajikistan
DE	Germany	MC	Monaco	TT	Trinidad and Tobago
DK	Denmark	MD	Republic of Moldova	UA	Ukraine
ES	Spain	MG	Madagascar	US	United States of America
FI	Finland	ML	Mali	UZ	Uzbekistan
FR	France	MN	Mongolia	VN	Viet Nam
GA	Gabon				

MODEL FOR TESTING IMMUNOGENICITY OF PEPTIDES

Government Interest

The invention described herein may be manufactured, licensed and used by or for governmental purposes without the payment of any royalties to us thereon.

Cross Reference

5

20

25

This application is a continuation-in-part of U.S. Patent application Serial No. 08/064,559, filed May 21, 1993, and the present application incorporates U.S. Patent Application Serial No. 08/064,559 in its entirety by reference.

15 Field of the Invention:

This invention relates to a means of predicting potential of a peptide for eliciting immune response.

Background of the Invention:

Among the numerous steps required for an immunological response to occur is the presentation of the antigen by macrophages to the B-cell or T-cell. This presentation is mediated by the Class I and Class II major histocompatibility complex (MHC) molecules on the surface of the cell. The MHC molecules hold antigens in the form of the peptide fragments and together with the receptor molecule on the T-cells, form a macromolecular complex that induces a response in the T-cell. Therefore, a necessary step in an immune response is the binding of the antigen to the MHC.

5

10

15

20

25

Recent single crystal X-ray structures of human and murine Class I MHC's have been reported. Analysis of these crystal structures have shown that antigenic peptides lie in the so-called binding cleft for presentation to the T-cell. This cleft is formed by α_1 and α_2 domains and by β -strands from each domain forming the floor. Furthermore, the sequence polymorphism among Class I molecules can result in alterations of the surface of the cleft forming different pockets. Peptide side chains may insert into these pockets. Thus, different pockets may interact with different side chains. This implies the mechanism for the peptide specificity of Class I MHC's. Peptides bound to the Class I MHC's in the crystal structures were found to have both the amino and carboxy termini tightly held by the MHC. There were few interactions near the middle of the cleft. Hence the bound peptide is allowed to bend slightly in the center. observed binding mode helped to explain the apparent partial specificity of peptide sequence and the allowed variation in peptide length found among peptides isolated from Class I MHC's.

The precise mode of binding of peptides to Class II MHC molecules is less clear. While a single crystal X-ray diffraction structure for the HLA-DR1 MHC has been shown, the coordinates have remained unavailable. However, currently available theoretical and experimental results help form a hypothesis that the binding of a peptide to Class II MHC is similar to that observed with Class I. First, it is noted that the Class II binding cleft is structurally similar to

that of Class I. This was concluded based upon a sequence analysis of 26 Class I and 54 Class II amino acid sequences.

Unlike with Class I molecules, self-peptides isolated from murine I-Ab and I-Eb, from murine I-Ad and from human HLA-DR1 molecules were found to be varied in size (13 to 25 residues long). The peptides isolated from the murine I-Ab and I-Eb molecules had heterogenous carboxy termini while those from I-Ad and HLA-DR1 had ragged termini at both ends. The varying lengths indicate that the amino and carboxy termini of the peptides were not critical for the binding. One or both termini may protrude from the binding site and be available for further processing. The residues critical for binding were proposed to be at the ends of the peptide as opposed to the center.

15

20

25

10

Summary of the Invention:

It is the purpose of this invention to provide a method for preliminary screening of peptides for ability to elicit an immune response. Structural homology techniques were used to model a receptor (the Class II MHC is exemplified). This model makes it possible to preliminarily screen peptides for antigenic properties. By modifying the peptide to "fit" into the receptor it is possible to identify methods of rendering non-immunogenic peptides immunogenic.

The preliminary screening of peptides for immunogenicity comprises the steps of (1) creating a molecular model of a receptor followed by minimizing the model created, 2) modeling a peptide to be tested and minimizing the model of the peptide, then testing the

fit of the model of the peptide into the model of the receptor to produce a composite minimized receptor/minimized peptide model.

Upon finding an acceptable fit, the peptide may then be screened by a binding assay for actual binding to Class II MHC as a further test for immunogenicity.

It has been found that when the model of the peptide can not be fitted into the model of the receptor, the peptide will lack immunogenicity. While not all peptide models which can be made to "fit" into to model of the receptor will be effective as immunogens, the screening methods of the invention may make it possible to avoid undue biological testing of inappropriate peptides. By using the model, it is also possible to alter peptides to accommodate the receptor. Hence, the invention has both predictive and drug design applications.

15

20

10

5

Brief Description of the Figures:

Fig. 1 shows the HLA-aw68 α_1 and α_2 domains with DR1 α_1 and β_1 domains.

Figs. 2-30 are a printout of the minimized coordinates of the receptor.

Figs. 31 and 32 shows the effects of various peptides inhibiting the binding of labeled hemagglutinin in a competitive binding assay.

25 <u>Detailed Description of the Invention:</u>

In order to understand and better predict peptide interaction with Class II MHC's and as an aid for synthetic peptide vaccine design, a structural homology model of HLA-DR1 molecule was made

5

10

15

20

25

using the Class I HLA-aw68 as a reference molecule. For purposes of this analysis, numerous conserved residues were aligned leading to a proposed three-dimensional model for the Class II structure very similar to that of Class I. This model retained the overall conformation of a Class I MHC and agreed with a considerable amount of the published data. Furthermore, peptides shown to bind to DR1 were docked in the binding cleft of the model and analyzed. The results agree with the experimental binding data presented here. Hence, it is shown that the structural homology model reported here is useful for screening Class II MHC functionality.

It had been hypothesized that few peptide residues may be required for binding to DR1. By substituting residues into the influenza hemagglutinin 307-319 T-cell epitope (HA) it had been determined that a single tyrosine at 308 was required for binding. A synthetic peptide with the tyrosine at position 308 and a lysine at 315 was found to bind DR1 as well as the native peptide. Hence, it was concluded that few peptide residues determine the high affinity binding to DR1.

The peptides produced according to the present invention may be used alone or chemically bound to another peptide and/or carrier in order to elicit an immune response. An immune response is elicited by administering a peptide to an animal in an effective dose and by an effective route of administration. Typically the peptide will be administered with an immunologically acceptable carrier. The routes of administration, dosages, times between multiple administrations will be based on the particular peptide and are standard operations of those skilled in the art.

Of particular interest are peptides from pathogenic microorganisms and neoplasms. In such an example, a vaccine may be formed with the peptide and any known immunological carrier and may be administered prophylactically or therapeutically. The immune response may be elicited for a number of reasons other than for prophylaxis or therapy such as increasing antibody production for the harvesting of antibodies, or increasing specific B-cell or T-cell concentration for the production of hybridomas or cellular therapy.

5

10

15

20

25

The choice of host animals is limited only to those capable of an immune response. Preferred hosts are mammals, more preferred are humans.

The vaccine may contain plural peptides with each peptide corresponding to the same or different antigens. The peptides may be used unbound or they may be chemically bound to another peptide or an unrelated protein or other molecule. A preferred vaccine preparation contains a plurality of peptides chemically bound to a larger more immunogenic peptide.

The peptide may be adsorbed, bound or encapsulated in a biodegradeable microsphere, microcapsule, larger carrier or a combination of these. The carrier may have a slow or controlled release property thereby releasing the peptide under appropriate conditions and times for enhanced immunization. This is particularly important when administering the peptide orally where stomach acid can degrade the peptide.

Another embodiment of the present invention is to modify the amino acid sequence of a peptide to enhance its immunogenicity.

This is done by modifying the natural peptide sequence to bind to

the Class II MHC receptor DR1 with superior binding affinity for a Class II MHC receptor DR1 than the natural peptide sequence. This modified peptide is considered a synthetic peptide. Alternatively, the sequence may be modified to have a greater inhibition of HA (306-318) binding to a Class II MHC receptor DR1.

Many amino acid changes are acceptable in the formation of a synthetic peptide. The changes may be for similar types of amino acids such as leucine for isoleucine or they may be for diverse types such as tyrosine for lysine.

10

15

20

25

Materials and Methods:

The structural homology model for the DR1 Class II MHC was constructed using the QUANTA molecular modeling package (vision 3.2, Molecular Simulations, Inc., Burlington, MA) with the CHARMM and Protein Design modules. After alignment of the sequences as described below, gaps and loops were energy minimized using 100 steps of steepest descents minimization followed by 100 steps of adopted basis set Newton-Rapheson (ABNR) minimization. Large gaps were closed using a fragment database from a selected set of high-resolution crystal structures. The resulting structure was minimized in vacuo using 1000 steps of steepest descents followed by an additional 1000 steps of ABNR minimization. A distance related electrostatic function was used in all calculations with a dielectric constant of 1.0. Non-bound parameter lists were updated every 20 steps with a cutoff distance of 15.0Å. Non-bonded calculations were performed using a shifted potential function between 11.0Å and 14.0Å. An extended atom set was used with only

5

10

15

20

25

polar hydrogen atoms specifically placed. There were no explicit hydrogen bond energy calculations performed.

All peptides were initially modeled using QUANTA in an extended chain conformation and subjected to 500 steps of ABNR minimization. The resulting structures remained essentially in extended chain conformations. Individual peptides were manually docked in several different orientations into the binding cleft region of the minimized DR1 structure. The resulting bimolecular complex was subjected to 5000 steps of steepest descents minimization with non-bonded interactions updated every five steps. After minimization, bound peptides remained essentially in extended chain conformations. The lowest energy complexes for each peptide were selected for further analysis.

The selected peptide and DR1 complexes and the minimized DR1 model were subjected to the following molecular dynamics regimen: 300 steps of heating to 300°K, 600 steps of equilibration at 300°K, and 1100 steps of production dynamics. During this simulation, the DR1 C α atoms were constrained in their starting positions. All non-bonded interaction parameters were as stated for the minimization procedure. The lowest energy structure during the course of the production dynamics was selected and subjected to the 5000 step minimization procedure described previously with the C α restraints removed. The resulting structures were used for the binding energy calculations and for hydrogen bonding analysis.

Hydrogen bonds were determined using the QUANTA default parameters. Maximum allowed distances were 2.5Å between a hydrogen and the acceptor atom and 3.3Å between the donor and acceptor atoms.

8

The minimum angle allowed between any set of atoms forming a hydrogen bond was 90°.

Competitive Inhibition Binding Assay:

5

10

15

20

25

HA peptide (the influenza hemagglutinin 307-319 T-cell epitope) was labeled with ¹²⁵I. The labeled HA peptides were then allowed to interact with purified DR1 molecules during incubation to allow formation of peptide/DR1 complexes. After incubation, the peptide/DR1 composition was exposed to a native gel for chromatographic separation or passed through a spun column to separate labeled peptide/DR1 complex and free labelled peptide. When unlabeled peptides were added before incubation of labeled HA peptides and DR1, and if the unlabelled peptides had capacity for binding to DR1 simultaneous with ¹²⁵I-HA, there was a resultant decrease in radioactive signal associated with the DR1. The extent of this decrease directly related to the binding capacity of the unlabeled unknown peptide.

Structural Homology Model for the DR1 Molecule:

The structural homology model was created, the reference molecule being the crystal structure of HLA-aw68. The HLA-aw68 coordinates and subsequent sequence were obtained from the entry 2HLA in the Brookhaven Protein Data Bank released January 15, 1991, which is incorporated herein by reference. The sequence for the DR1 molecule was for the α_1 domain was reported by Klein and for the β_1 domain, the study reported by Todd et al. (Nature 329, 599 (1987)).

The sequence alignment is based on Brown et al. (Nature 332, 845 (1988)). The complete alignment and numbering scheme for both

are seen in Figure 1. The Class II, eta_1 and Class I $lpha_2$ domains regions were conserved with some variations at the ends where the two MHC's have different loop regions. The fourth B-strand in the α_1 domain of HLA-aw68 (residues 30-38) is disrupted in the DR1 model. Only three residues are in a β -sheet conformation, probably due to the inserted glycine at position 28 before the strand and the large deletion in the loop region immediately after the strand. two alpha-helical regions are clearly maintained. Both helices have been observed to be discontinuous in the Class I molecules and are similar in the DR1 model. The α_1 domain helix is long and curves from residues 49α to 76α without significant disruption. essentially a single continuous helix. However, the α_2 helical region is broken into two separate helices as with the Class I molecules. A short helix (52-63) is separated from a longer helix (68-94) by a deformed region without secondary structure. This deformation is more pronounced in the DR1 model as opposed to the Class I molecules due to an insertion.

Influenza Hemagglutinin Peptide with DR1:

5

10

15

20

25

The amino acid residues 307-319 of influenza hemagglutinin (Pro-Lys- Tyr-Val-Lys-Gln-Asn-Thr-Leu-Lys-Leu-Ala-Thr) make up a well-documented linear T-cell epitope which has been shown to be HLA-DR1 restricted. With the demonstration that the influenza hemagglutinin epitope (referred to as the HA peptide) binds DR1,it was chosen to be modeled into the binding cleft.

The peptide was initially inserted into the cleft so that Leu 11 HA was in the vicinity of the hydrophobic pocket. This allowed Asn 7 to be near the middle charged and polar groups of the cleft.

The remaining residue of the motif (Lys 2) was near the vicinity of the remaining charged and polar residues at the end of the cleft.

The only adjustment to the starting conformation was a slight rearrangement of the terminal peptide proline and Tyr 3 to alleviate obvious bad contacts.

After the energy minimization of the bimolecular complex, the total energy was reduced to 483 kcal/mol. This reduction in energy was accomplished by alleviation of several bad contacts and also be formation of several hydrogen bonds. The sticking feature of this mode is lack of hydrogen bonds in the carboxy terminal half of the peptide. Only one hydrogen bond is identified between the backbone carbonyl group of Leu 9 and the side chain of the β_1 Asn 77. In contrast, the amino terminal half has eleven identified interactions. Four of these interaction involve the peptide backbone residues Tyr 3, Val 4, and Gln 6. The remainder involve the side chains of Lys 2, Tyr 3, Lys 5 and Gln 6. Interestingly, Lys 5 is involved in more interactions (three) than Lys 2 (only 2). No interactions were observed as anticipated with Asn 7. Instead, it was the glutamine at position 6 donating a hydrogen bond to the α_1 Asn 62. No interactions were observed for the amino and carboxy termini.

HA-YK Peptide with DR1:

5

10

15

20

25

hydrophilic groups in the other half of the cleft. The resulting peptide orientation is the opposite that used for the HA and the CS3 (defined below) peptides. With the peptide oriented as described, the final docking position for the peptide was unclear. The hydrophobic pocket is quite large, and, at least in this model, could accommodate the peptide tyrosine in a number of positions by sliding the peptide lengthwise through the cleft. However, repositioning the peptide also repositions the lysine. There were primarily two positions for the lysine: one with the lysine inside the cleft and the second with it outside. Of the two positions, the former was the lower in energy by 46 kcal/mol and had the greater number of interactions with the protein (11 vs. 7). Thus, the preferred orientation of the peptide appears to be with the lysine inside the binding cleft region.

15

20

25

10

5

CS3 subunit Pilin Peptide with DR1:

The suspected T-cell epitope for CS3 pilus subunit 63-78

(Ser-Lys-Asn-Gly-Thr-Val-Thr-Trp-Ala-His-Glu-Thr-Asn-Asn-Ser-Ala)

was modeled with the DR1 molecule. The peptide was inserted with

lysine inside the cleft in the hydrophilic region. This placed the

Thr 5 in the center of the binding cleft and the tryptophane

(residue 8) near the hydrophobic region. The resulting minimized

model had ten interactions between the peptide and the protein,

three interactions with the peptide backbone and five with the

peptide side chains. The remaining two were with the amino terminal

of the peptide. All of the interactions were in either the first

three residues, His 10 or Glu 11 in the peptide. No interactions

were observed in the center of the cleft or residues four through nine.

CFA/1 with DR1:

A peptide identified as CFA/1 (colonization factor antigen)

(Val-Gly-Lys-Asn-Ile-Thr-Val-Thr-Ala-Ser-Val-Asp-Pro) was prepared
and an attempt was made to "fit" the molecule into the cleft of the

DR1. The lysine at position 3 prevented insertion of the peptide.

10 Results:

5

The peptides chosen to dock in the DR1 model are shown in Table

1. The peptides were docked manually in several orientations into
the DR1 model. The peptides were then tested in biological binding
assays with the following results:

Table I

Peptide	Molecular Model predicted binding	Binding in the bioassay
HA (influenza hemagglutinin)	Yes	Yes
HA-YK (synthetic peptide)	Yes	Yes
CS3 Pilin subunit	Yes	Yes
CFA/1	No	No

25

30

20

15

Quantitative measurement of the inhibition of CS3 63-78 and HA 306-318 as compared to controls is shown in Fig. 31.

The binding energy was calculated as the difference between the final DR1 and peptide complex and the sum of the energies for the minimized DR and peptide models individually. The data is shown in Table II.

Table II.

5

10

15

20

25

Peptide	Protein	Residues	Sequence	Binding Energy (kcal/mol)
HA	Influenza hemagglutinin	306-318	PKYVKQNTLKLAT	-283
HA-YK	MA-YK synthetic peptide		ААҮАААААКАА	-216
CS3	CS3 pilin subunit	63-78	SKNGTVTWAHETNNSA	-245

CS6α and CS6ß with DR1

Colonization factor antigen IV (CFA/IV is an antigen on the surface of many enterotoxigenic *E. coli* one component of which is CS6. CS6 has two major subunits and a number of minor subunits. Several peptides from CS6 have been sequenced and assayed for potential inhibition of radiolabeled HA (306-318)/DR1 complex as a measure of immunogenicity. The sequences of the subunits are shown in Table III.

Table III.

Peptide	Amino Acid Residues	Sequence		
CS6α6	63-75	DEYGLGRLVNTAD		
CS6α7	80-92	IIYQIVDEKGKKK		
CS6α8	111-123	LNYTSGEKKISPG		
CS6ß1	3-15	WQYKSLDVNVNIE		
CS6ß2	42-54	QLYTVEMTIPAGV		
CS6ß3	112-124	TSYTFSAIYTGGE		
CS6\$4	123-135	GEYPNSGYSSGTY		
CS6ß5	133-145	GTYAGHLTVSFYS		

These peptides were assayed for inhibition of radioactively labeled HA(306-318)/DR1. The results are demonstrated in Fig. 32.

The foregoing description of the specific embodiments reveal the general nature of the invention so that others can, by applying current knowledge, readily modify and/or adapt for various applications such specific embodiments without departing from the generic concept, and, therefore, such adaptations and modifications should and are intended to be comprehended within the meaning and range of equivalents of the disclosed embodiments. It is to be understood that the phraseology or terminology employed herein is for the purpose of description and not of limitation.

All references mentioned in this application are incorporated by reference.

10

We Claim:

5

20

1. A method of preliminarily screening peptides for immunogenicity comprising the steps of:

- 1) creating a molecular model of receptor DR1 Class II MHC and minimizing the model of the DR1;
- 2) modeling a peptide to be tested and minimizing the model of the peptide; and
- 3) testing fit of model obtained in step 2 into the model
 10 obtained in step 1 to produce a composite receptor/peptide model.
 - 2. A computerized model comprising a model of the DR1 molecule having fitted in a cleft therein a model of a peptide.
- 3. A method of claim 1 wherein, additionally, the receptor/peptide model is subjected to computer-simulated heating.
 - 4. A method of claim 1 further comprising, assaying the peptide by competitive inhibition binding to a Class II MHC receptor DR1.
 - 5. A minimized peptide capable of binding to a Class II MHC receptor DR1 and inhibiting the binding of HA (306-318).
- 6. A synthetic peptide, wherein the amino acid sequence of the
 minimized peptide according to claim 5 has been modified to have a
 superior binding affinity for a Class II MHC receptor DR1 to form at
 least a portion of the synthetic peptide.

7. A synthetic peptide, wherein the amino acid sequence of the minimized peptide according to claim 5, has been modified to have greater inhibition of HA (306-318) binding to a Class II MHC receptor DR1 to form at least a portion of the synthetic peptide.

5

- 8. A synthetic peptide according to claim 6, wherein an amino acid has been modified from a charged amino acid to an uncharged amino acid.
- 9. A synthetic peptide according to claim 7, wherein an amino acid has been modified from a charged amino acid to an uncharged amino acid.
- 10. A synthetic peptide according to claim 8, wherein saiduncharged amino acid is alanine.
 - 11. A synthetic peptide according to claim 9, wherein said uncharged amino acid is alanine.
- 12. A minimized peptide according to claim 5, wherein the sequence is selected from the group consisting of PKYVKQNTLKLAT, AAYAAAAAAAA and SKNGTVTWAHETNNSA.
- 13. A minimized peptide according to claim 5, wherein the sequence is contained in a CFA.

14. A minimized peptide according to claim 13, wherein the sequence is selected from the group consisting of DEYGLGRLVNTAD, IIYQIVDEKGKKK, LNYTSGEKKISPG, WQYKSLDVNVNIE, QLYTVEMTIPAGV, TSYTFSAIYTGGE, GEYPNSGYSSGTY and GTYAGHLTVSFYS.

5

- 15. A vaccine comprising:
 - a minimized peptide according to claim 5; and an immunologically acceptable carrier.
- 10 16. A vaccine comprising:
 - a synthetic peptide according to claim 6; and an immunologically acceptable carrier.
 - 17. A vaccine comprising:
- a synthetic peptide according to claim 7; and an immunologically acceptable carrier.
- 18. A method of eliciting an immune response in an animal comprising administering said animal with the vaccine according to claim 15.
 - 19. A method of eliciting an immune response in an animal comprising administering said animal with the vaccine according to claim 16.

25

20. A method of eliciting an immune response in an animal comprising administering said animal with the vaccine according to claim 17.

Conserved residues Polymorphic residues

3068	7	CSUSHRYF 9	YTSVSRPGRG 19	19	EPRPIAVGY	4 29	EPRPIAVGYV 29 D DIGFVRPD 38		P 48	SDAASQRHEP 48 RAPHIEQECP	
DR1 K,	1	ikeeuviiga 11	EFYLH PUQ 19		SG EFHEOP 27	72 9	DCDEIFHVDH 37		VXX 40	ETWARLERPG	
DIU B,					,					•	
							_		1		
3068	58	EXMDENTILITY 68 RACSCIURVD 18 LCTLRCYTHQ 88	KAQSQTDRVD	22.22	LCTCRCYYN	98	SEA GSU 94	i	V 10	TIQMAGCOD 104 CSDCRFLACY	
DR1 a,	20	RASFEAGGA 60 LAITAVDKAN 70	LANTAVDKAN	20	LEIMTKRSHY 80	¥ 80	TPI	e e :			
ori s,						-	CDIRPRP 8	LHQLKFECUF 18	F 18	FUCTERVAL.I.	
		B sheet	1 9 4 9 5 1))))			न्याथ *)))	((((
2v68	114	RQDAYDCKDY 12% IALKEDLRSW 13% TAAADMAA QT 143 TKIKWEAA II 152 VAEGWRAYLE 162 GTCVEWLRR:	A IALKEDLRSW	134	TAADHAA	T 14	TKUKWEAA II 1	S2 VAEQURAYI		2 CTCVEHLRR:	
OR1 a		-n -1						4 4		4	
มห า ธ _เ	28	ERCIYNQEES 30	VICEDSDVCEY 48	97	RAVTELCRI	30 SB	RAVTELCRPO SB AEY YHSQKD 67	57 LLEGRERAVD 77	-0. 7.	TYCRIINYCV	
av68	173	2 LENGKETLOR									
DR1 .,											
DR1 8,	87	ESFIVQRRVII									

.

```
# MINIMIZED COORDINATES FROM CHARM
                                          CREATED BY USER: naus*
                          14:58:48
  DATE: 2/25/93
1639
                                                                   0.00000
                      -53.41835 -52.87964 96.86949 A1
         1 ILE
                33
   1
                                                                   0.00000
                                                           1
                      -54.06550 -53.37379 96.22549 A1
   2
         1 ILE
                HT1
                                                                   0.00000
                                             96.89426 Al
                                                           1
                      -52.48505 -53.33354
                BT2
         1 ILE
   3
                                                                   0.00000
                                             97.84341 A1
                      -53.81151 -52.85195
                нтЗ
         1 ILE
                                                                   0.00000
                                            96.52548 Al
                                                           1
                      -53.29159 -51.45945
   5
         1 ILE
                CA
                                                                   0.00000
                                             95.64551 A1
                                                           ٦
                      -54.51076 -51.09296
                CB
         1 ILE
   6
                                                                   0.00000
                                             96.33544 A1
                                                           1
                      -55.84867 -51.39510
   7
         1
           ILE
                CG2
                                                                   0.00000
                                                           1
                                             95,12978 Al
                      -54.43380 -49.65164
                CG1
         1
           ILE
   8
                                                                   0.00000
                      -55.55018 -49.30658
                                             94.14124 A1
                                                           1
         1 ILE
                CD
   Q
                                                                   0.00000
                                                           1
                                             97.88119 Al
                      -53.31306 -50.79352
         1
           ILE
                С
  10
                                                                   0.00000
                                                           1
                                           98.80800 Al
                      -53.76732 -51.45486
         1 ILE
                0
  11
                                                                   0.00000
                                            97.98462 A1
                                                           2
                      -52.70566 -49.57271
         2 LYS
                N
  12
                                                                   0.00000
                                                           2
                                             97.19065 Al
                      -52.43149 -49.07042
         2 LYS
                11
  13
                                                                   0.00000
                                                           2
                                             99.24363 Al
                      -52.72856 -48.82990
         2 LYS
                Cλ
  14
                                                                   0.00000
                                                           2
                      -51.48674 -49.22996 100.05168 A1
                CB
  15
       · 2 LYS
                                                                   0.00000
                    --51.65942 -50.46422 100.94226 A1
                                                           2
         2 LYS
                CG
  16
                                                                   0.00000
                                                           2
                      -50.39491 -50.76541 101.74483 A1
                CD
  17
         2 LYS
                                                                   0.00000
                      -50.65567 -51.67024 102.94896 Al
         2 LYS
                CE
  18
                                                                   0.00000
                      -49, 48784 .-51.62033 103.84066 A1
                                                           2
..19
        ,2 LYS
                NZ
                                                           2
                                                                   0.00000
                      -49.68891 -52.15413 104.71032 A1
  20
         2 LYS
                1121
                                                                   0.00000
                     -48.66152 -52.03086 103.36182 A1
                                                           2
  21
        2. LYS . EZ2
                                                                   0.00000
                                                           2
                      -49.20787 -50.62863 104.08530 Al
         2 LYS H23
  22
                                                                   0.00000
                      -52.58080 -47.37619
                                                           2
                                            98.85749 Al
  23
         2 LYS
                                                                   0.00000
                                                           2
                                            97.74074 Al
                      -52.16561 -47.08993
         2 LYS
                ٥
 .24
                                                                   0.00000
                                            99.78817 A1
                                                           3
                      -52.93375 -46.48610
                И
  25
         3 GLU
                                                                   0.00000
                      -53.25920 -46.74733 100.69754 Al
                н
  26
          GLU
                                                                   0.00000
                                            99.49342 Al
                                                           3
                      -52.88416 -45.05669
         3 GLU
                CA
  27
                                                                   0.00000
                                            98.75869 Al
                      -54.17633 -44.67728
  28
         3 GLU
                CB
                                                                   0.00000
                                                           3
                                            98.07127 Al
                      -54.16941 -43.30721
  29
         3 GLU
                CG
                                                                   0.00000
                                                           3
                      -55.38365 -43.14982
                                            97.16830 Al
         3
          GLU
                CD
  30
                                                                   0.00000
                                            96.38367 A1
                                                           3
                     --55.40070 -42.20412
         3 GLU
                OEl
  31
                                                                   0.00000
                                            97.23742 Al
                                                           3
                      -56.30088 -43.96983
  32
        3 GLU
                OE2
                                                                   0.00000
                      -52.73723 -44.30588 100.80334 A1
                                                           3
                С
  33
        3 GLU
                                                                   0.00000
                                                           3
                      -53.13310 -44.80289 101.85375 A1
                0
  34
          GLU
                                                                   0.00000
                      -52.10513 -43.13147 100.72198 A1
                                                           4
  35
          GLU
                N
                                                                   0.00000
                                            99.83885 Al
                                                           4
                      -51.89913 -42.70887
  36
          GLU
                н
                                                                   0.00000
                      -51.71490 -42.41569 101.93532 Al
         4 GLU
                CA
  37
                                                                   0.00000
                      -50.23606 -42.65775 102.23912 A1
  38
         4 GLU
                CB.
                                                                   0.00000
                      -49.88908 -44.07273 102.69972 Al
                                                           4
                CG
  39
         4 GLU
                                                                   0.00000
                      -48_39447 -44.20822 102.86978 A1
  40
          GLU
                ,CD
                                                                   0.00000
                      -47.71593 -43.20739 103.12446 A1
                                                           4
                OEI
  41
         4 GLU
                                                                   0.00000
                     -47.87485 -45.31826 102.72475 A1
  42
         4 GLU
                OE 2
                                                                   0.00000
                      -51.86859 -40.92476 101.75610 A1
                                                           4
         4 GLU
                C
  43
                                                                   0.00000
                                                           4
                      -51.85445 -40.40438 100.64776 A1
  44
         4 GLU
                0
                                                                   0.00000
                                                           5
                      -51.98758 -40.25490 102.89941 A1
        5 HIS
                N
  45
                                                                   0.00000
                     -51.95529 -40.74179 103.77267 A1
  46
        5 HIS
                u
                                                                   0.00000
                     -52.02510 -38.79739 102.88794 A1
                                                           5
                CA
  47
        5 HIS
                                                                   0.00000
                                                           5
                     -52.95268 -38.30654 104.00423 A1
                CB
  48
        5 HIS
                     -54.39292 -38.58657 103.64511 A1
                                                                   0.00000
                                                           5
        5 HIS
                CG
  49
                                                                   0.00000
                     -55.01336 -38.04007 102.58831 A1
                                                           5
                NDI
  50
        5 HIS
                                                                   0.00000
                     -54.63216 -37.40030 101.93314 A1
                                                           5
  51
          HIS
                HD1
                                                                   0.00000
                     -55.29163 -39.42491 104.31043 A1
                CD2
  52
        5 HIS
                                                                   0.00000
                     -56.46563 -39.37373 103.63249 A1
                                                           5
  53
        5 HIS
                NE2
                                                                   0.00000
                     -56.29489 -38.51954 102.57197 A1
                                                           5
                CEl
                                                                   0.00000
  54
        5 KIS
                      -50.64149 -36.20241 103.06558 A1
                                                           5
  55
        5 HIS
                C
                                                                   0.00000
                      -49.7590E -36.78174 103.68940 A1
  5 5
                0
        5 HIS
                                                                   0.00000
                     -50.46014 -37.02655 102.46317 A1
                                                           Б
  57
          VAL
                1:
        6
                                                                   0.0000
                                                           6
                     -51.22869 -36.59864 101.97707 A1
                H
        6 MAL
  58
                                                           6
                                                                   0.00000
                     -49.12695 -36.41474 102.46428 A1
                CA
  59
        6 VAL
                                                                   0.00000
                      -48.60121 -36.33669 101.01420 A1
  60
          MAL
                C.S
```

```
Sau 140 45 14:58:48 1993
ت تن د داستهر ساور د
                                                          8 414-05-00005
                      47.07672 -36.30119 101.00126 A1
  £ί
        6 VAL CG1
                      49.10544 -37.46647 100.11057 Al
        6 VXL
  ٤2
                CG2
                                                                 0.00000
                     -49.19435 -35.00190 103.02675 A1
  63
        6 VAL
                C
                                                                 0.00000
                     -50.21018 -34.34041 102.87457 A1
        6 VAL
  64
                0
                                                                 0.00000
                     -48.11527 -34.52120 103.65431 A1
        7 ILE
  65
                N
                                                                 0.00000
                     -47.35972 -35.13148 103.91409 A1
        7 ILE
  66
               н
                                                                 0.00000
                     -48.09506 -33.08697 103.98819 A1
        7 ILE
  67
                CA
                                                                 0.00000
                     -48.69197 -32.86813 105.39701 A1
        7 ILE
               CB
  68
                                                                 0.00000
                     -47.96322 -33.71317 106.43001 A1
        7 ILE
                CG2
  69
                     -48.74316 -31.39586 105.81727 A1
                                                                 0.00000
        7 ILE
               CG1
  70
                                                                 0.00000
                     -49.28846 -31.20489 107.23523 Al
        7 ILE
               CD
  71
                     -46.69381 -32.50114 103.87753 A1
                                                                 0.00000
                                                          7
        7 ILE
               C
  72
                     -45.72315 -33.10109 104.32366 Al
                                                                 0.00000
        7 ILE
               0
  73
                                                                 0.00000
                     -46.61414 -31.32789 103.23109 Al
                                                          8
        8 ILE
               И
  74
                     -47.43598 -30.79777 103.00074 Al
                                                          8
                                                                 0.00000
        8 ILE
               н
  75
                                                                 0.00000
                     -45.31176 -30.85113 102.75879 A1
                                                          8
        8 ILE
               CA
  76
                                                                 0.00000
                     -45.18096 -31.21426 101.24826 A1
                                                          8
        8 ILE
               CB
  77
                                                                 0.00000
                    -46.47692 -30.98133 100.47371 Al
                                                          8
        8
          ILE
               CG2
  78
                    -44.01581 -30.53590 100.51961 Al
                                                                 0.00000
                                                          8
               CG1
        8 ILE
  79
        8 ILE - CD- - - 42.65515 -30.85297 101.12422 A1
                                                                 0.00000
                                                          В
  80
                                                                 0.00000
                                                          8
                     -45.00402 -29.37643 103.03239 Al
        8 ILE
              C
  81
                                                                 0.00000
                     -45.69216 -28.43922 102.63903 Al
                                                          8
  82
        8 ILE .
               0
                                                                 0.00000
                     -A3_86371;-29.19466 103.70229 A1
                                                          9
. 83
        9 GLN
               N
                     -43.33777 -29.97409 104.05676 Al
                                                                 0.00000
                                                          9
        9 GLN
               н
                                                                 0.00000
  84
                    =43.27910 -27.85712 103.71549 A1
        9 GLN
               CA
  85
                                                                 0.00000
                                                          9
                     -42.97213 -27.43231 105.14730 Al
        9 GLN
               CB
  25
                                                                 0.00000
                    -44.24353 -27.13894 105.94550 Al
                                                          9
        9 GLN
               CG
  87
                                                                 0.00000
                     -43.92932 -26.69043 107.36359 A1
                                                          9
        9 GLN
               CD
  85
                    -44.59992 -27.05224 108.31811 Al
                                                                 0.00000
                                                          9
        9 GLN
               OE1
                                                                 0.00000
                    -42.89278 -25.86874 107.50418 Al
                                                          9
               NE2
        9 GLN
  90
                                                                 0.00000
               HE21 -42.31986 -25.58069 106.73881 A1
        9 GLN
  91
                                                                 0.00000
               HE22 -42.66204 -25.53260 108.41526 A1
                                                          9
        9 GLN
  92
                                                                 0.00000
                    -42.00840 -27.79728 102.89330 Al
                                                          9
        9 GLN
               С
  93
                                                                 0.00000
                                                          9
                     -41.07030 -28.56703 103.06902 Al
        9 GLN
               0
  94
                                                                 0.00000
                     -42.01720 -26.84230 101.96835 Al
                                                          10
  95
       10 ALA
               N
                    -42.80016 -26.24022 101.81084 A1
                                                                 0.00000
                                                          10
       10 ALA
  96
                                                          3.0
                                                                 0.00000
                    -40.83464 -26.60034 101.15833 Al
       10 ALA
               CA
  97
                                                                 0.00000
                     -41.09424 -26.95993 99.69281 A1
                                                          10
       10 ALA
               CB
  9R
                                                                 0.00000
                     -40,41733 -25.14834 101.25674 A1
                                                          10
               C
  99
       10 ALA
                    -41,21138 -24.24680 101.50542 A1
                                                                 0.00000
                                                          10
       10 ALA
               0
100
                    -39.11637 -24.95043 101.08226 A1
-38.51800 -25.72332 100.86462 A1
                                                                 0.00000
                                                          11
101
       1Ï GLU
               N
                                                                 0.00000
                                                          11
       11 GLU
               н
                                                                 0.00000
102
                     -38,56697 -23.61077 101.26935 A1
                                                          11
 103
       11 GLU
               CA
                                                                 0.00000
                     -37.61570 -23.62729 102.46404 Al
                                                          11
       11 GLU
              ·CB
 104
                                                                 0.00000
                    -38.29740 -24.15021 103.73032 A1
                                                          11
               CG
 105
       11 GLU
                                                                 0.00000
                     -37.31724 -24.35236 104.85668 Al
                                                          11
 106
       11 GLU
               CD
                                                                 0.00000
                    -37.72498 -24.91514 105.87939 A1
                                                          11
 107
       11 GLU
               OE1
                                                                 0.00000
                    -36.15746 -23.95826 104.74301 Al
               QEZ
108
      11 GLU
                                                                 0.00000
                    -37.79619 -23.17941 100.04756 A1
                                                          11
109
       11 GLU
               С
                                                                 0.00000
                    -37.17390 -23.99314 .99.37097 Al
                                                          11
110
       11 GLU
               ٥
                                                                 0.00000
                     -37.86688 -21.87280 99.78525 Al
                                                          12
       12 PHE
               N
                                                                 0.00000
                    -38.38856 -21.25141 100.37827 AL
       12 PHE
               Н
112
                                                                 0.00000
                                          98.59813 Al
                                                          12
                    -37.20863 -21.33691
 113
       12 PHE
               CA
                                                                 0.00000
                                           97.51950 Al
                                                          12
                    -38.26225 -21.06791
114
      12 PHE
               CB
                                                                 0.00000
                                           96.27668 Al
                                                          12
                    -37.93682 -21.86124
       12 PHE
               CG
                                                                 0.00000
 115
                                                          12
                                           96.17465 Al
                    -38.35291 -23.20899
               CD1
116
       12 PHE
                                                                  0.00000
                                           95.22261 Al
                                                          12
                    -37.21678 -21.25353
117
       12 PKE
               CD2
                                                                 0.00000
                                                          12
                                           95.01356 Al
                    -38.04712 -23.95258
       12 PHE
               CEl
118
                                                                  0.00000
                                           94.06122 Al
                                                          12
                    -36.91098 -21.99741
       12 PHE
               CE2
 119
                                                                  0.00000
                                                          12
                                           93.96022 Al
                     -37.32685 -23.34453
 120
       12 PHE
               CZ
                                                                  0.00000
                                           98.90209 %1
                                                          12
                     -36.45949 -20.05659
               С
121
       12 PHE
                                                          12
                                                                 0.00000
                                           98.93077 A1
                    -37.00216 -18.95008
       12 PHE
               0
 122
                                                                 0.00000
                                           99.15293 Al
                                                          13
                     -35.16677 -20.22034
               14
       13 TYR
 123
                                                                  0.00000
                                                          13
                                           99.03348 A1
                     -34.71888 -21.10856
 124
       13 TYS
               ..
```

./524_	×ವನ.೧೯		೯೭೮ ೯೬೨	25 14:58:4	48 1993	3	
125	13 TYR	CA	4.4465	-19.02891	99.57908	A1 13	0.00000
126	13 TYR	CB		4 -19.31637			0.00000
327	13 TYR	CG	-33.6322	-18.04844	101.71489		0.00000
128	13 TYR	CD1	-34.79192	2 -17.52707	1 102.32828		0.00000
129	13 TYR	CEL	-34.6973	5 -16.35710	103.10470		0.00000
130	13 TYR	CD2	-32.38328	3 -17.40687	101.86606		0.00000
131	13 TYR	CE2	-32.29405	5 -16.23332	102.64552		0.00000
132	13 TYR	CZ	-33.45188	-15.71594	103.26657		0.00000
133	13 TYR	ОН	-33.37191	-14.58930	104.06109		0.00000
134	13 TYR	HH	-33.47343	-14.89238	104.98360	13	0.00000 0.00000
135	13 TYR	C	-33.46702	-18.52544	98.54525		0.00000
136	13 TYR	0	-32.59456	-19.23915	98.06786	11 14	0.00000
137	14 LEU	И	-33.65240	-17.25550	98.19697 A	11 14	0.00000
138	14 LEU	н	-34.33538	-16.68306		1 14	0.00000
139	14 LEU	CA	-32.81168	-16.70428 -16.21044			0.00000
140	14 LEU	CB		-17.29674			- 0.00000
141	14 LEU	CG CD1		-16.92524			0.00000
142	14 LEU 14 LEU	CD2	-32 72461	-17.54798		1 14	0.00000
143	14 LEU	C.	-32.72401	-15.56813		1 14	0.00000
145	14 LEU	ō	-32.31049	-14.71998	98.40126 7		0.00000
146	15 ASN	N	-30.73908	-15.58168	97.02166 3	1 15	0.00000
247	15 ASN	н	-30., 47955	·-16.38705	96.48149 F		0.00000
148	15 ASN	CA	-29.88530	-14.39297	97.02352 A		0.00000
149	15 ASN	СВ	-28.47094	-14.93729	97.29287		0.00000
150	15 ASN	CG	-27.86774	-14.18957	98.46652		0.00000
151	is asn	OD1	-28.47231	-13.98878	99.50693 8		0.00000
152	15 ASN	NDZ	-26.63329	-13.74712	98.26721 A		0.00000
153	15 ASN	HD21	-26.12722	-13.93409	97.42633 A		0.00000
154	15 ASN	HD22		-13.18778	98.98020 A		0.00000
15 5	15 ASN	C	-30.09328	-13.70870	95.65633 A 94.92357 A	-	0.00000
156	15 ASN	0	-30.96066		95.25454 A	_	0.00000
157	16 PRO	И	-29.35358	-12.64312	.93.88390 A		0.00000
158	16 PRO	CD	-29.47390	-12.14147	96.02164 A		0.00000
159	16 PRO	CA		-11.89943 -11.32145	94.90180 A		0.00000
160	16 PRO	CB	-27,47317 -28,40713	-11.06430	93.72211 A		0.00000
161	16 PRO	CG	-20.40713	-10.84560	96,98393 A		0.00000
162	16 PRO 16 PRO	C	-28 49727	-10.81095	98.14625 A		0.00000
163 164	17 ASP	О И	-29.73099	-9.96981	96.45979 A	1 17	0.00000
165	17 ASP	Ĥ,	-30.06531	-10.06794	95.52595 A		0.00000
166	17 ASP	CA	-30.07647	-8.75629	97.18869 A		0.00000
167	17 ASP	CB	-30.80318	-7.83976	96.20071 A		0.00000
168	17 ASP	CG	-30.22601	-6.44601	96.27578 A	1 17	0.00000
169	17 ASP	OD1	-29.42577	+6.10216	95.40955 A		0.00000
170	17 ASP	OD2	-30.58500	5.71147	97.19272 A		0.00000
171	17 ASP	С	-30.91226	-8.96778	98.44177 A 99.56331 A		0.00000
172	17 ASP	O.,	-39.52677	-8.65960	98.20428 A		0.00000
173	18 CTM	N.	-32.11780	-9.49744	97.29256 A		0.0000
174	18 GLN	H :	-32.36542	-9.81984 -9.57864	99.27949 A	-	0.00000
175	18 GLN	CŸ	-33.10696	-8.37464	99.14180 A		0.00000
176	18 GLN	CB	-34.05728	-7.07517	99.58476 A	_	0.00000
177	18 GLN	CĊ	-33.36307 -33.97880	-5.85158	98.94046 A	1 18	0.00000
178	18 GLN	CD	-35.13776	-5.50918	99.12725 A		0.00000
179 180	18 GLN 18 GLN	oei Ne2	-33.14378	-5.16835	98.16624 A		0.00000
181	18 GLN	HE21	-32.19859	5.47544	97.99847 A	1 18	0.00000
182	18 GLN	EE22	-33.43475	-4.32502	97.72302 A	1 18	0.00000
183	18 GLN	C	-33.83924	-10.91598	99.26964 A	1 18	0.00000
184	18 GLN	ō	-33.74750	-11.68763	98.32391 A	1 18	0.00000
185	19 SER	13	-34.51482	-11.16924	100.39831 A	1 19	0.00000
186	19 SER	н	-34.63228	-10.43617	101.06649 A	1 19 1 19	0.0000
197	19 SEP	CA	-34.94474	-12.50616	100.83625 A	1 19	0.00000
591	19 SER	CB	-35.43672	-12.36114	102.28173 A		

11 0 72.44								
ئے۔۔۔۔۔۔ ا	تنائ دائلية		inu Feo	25 14:58:4	8 1993		4	
			24 27064	-11.87727	103.10841	λ1	19	0.00000
189	19 SER	OG	34.57004	-12.63499	103.40254	Al	19	0.00000
190	19 SER	нG	-35 07640	-13.29776	100.02197	A1	19	0.00000
191	19 SER	C	-36 40518	-12.86400	99.00144	Al	19	0.0000
192	19 SER	0	-36.73320	-14.51787		λl	20	0.00000
193	20 GLY	N	-36,27317	-14.79673	101.41380	λl	20	0.00000
196	20 GLY	H	-33.67033	-15.47533	99.79192		20	0.00000
195	20 GLY 20 GLY	CA C	-30 30897	-15.89747	100.44590		20	0.00000
196	20 GLY	0	-39.10838	-15.10421	101.05171		20	0.0000
197	21 GLU	N	-38.72023	-17.18722	100.25477	Al	21	0.00000
198	21 GLU	H	-38 03254	-17.84573	99.94375	λl	21	0.00000
199	21 GLU	CA	-40.11538	-17.64629	100.27114	λl	21	0.00000
200 201	21 GLU	CB	-40.54163	-17.64420	98.79559	Al	21	0.00000
202	21 GLU	CG	-42.00974	-17.90322	98.44054	A1	21	0.00000
202	21 GLU	CD	-42.16555	-17.98331	96.93169		21	0.00000
204	21 GLU	OE1	-43,22010	-17.59671	96.43390		21	0.00000
205	21 GLU	OE2	-41 2375B	-18.43207	96.25678		21	0.00000
206	21 GLU	С	-40.28326	-19.04137	100.89226	Al	21	0.00000 0.00000
207	21 GLU	^	_39 32286	-19.78361	101.07437	ΑŢ	21	0.00000
208	22 PHE	N · ··	41 54286	-19.38051	101.22645	Al	22	0.00000
209	22 PHE	Н	-42 30204	-18.76344	101.01655	VΤ	22 22	0.00000
210	22 PHE	CA	-41.84777	-20.63223	101.93252	Y.	22	0.0000
211	22 PHE	CB	-41.76716	-20.31207	103.43794	בת	22	0.00000
212	22 PHE	CG	-41.45246	-21.48591	104.34/32	ומ	22	0.00000
213	22 PHE	CD1	-40.59481	-21.25886	105.44513	N 1	22	0.00000
214	22 PHE	CD2	-42.01384	-22.76966	104.14302	7.7	22	0.00000
215	22 PHE	CE1	-40.30109	-22.30643	106.34340	77	22	0.00000
216	22 PHE	CEZ	-41.72224	-23.81970	105.04232	A.L	22	0.00000
217	22 PHE	CZ	-40.86722	-23.58408	100.14281	21	22	0.00000
218	22 PHE	С	-43.25845	-21.11988	101.56020	21	22	0.00000
219 .	22 PHE	٥	-44.19436	-20.32985	101.33111	וג	23	0.00000
220	23 MET	N	-43.39639	-22.43138	101.322,90	A1	23	0.00000
221	53 WEİ	н	-42.59132	-23.03279 -23.04357	101.50500	A1	23	0.0000
222	23 MET	CA	-44.70480	223.04337	99.57140	Al	23	0.00000
223	23 MET	CB	-45.08326	-22.73200	99.09264	Al	23	0.00000
224	23 MET	CG	-46.39952 -46.67153	-23.332.3	97.33272	Al	23	0.00000
225	23 MET	SD	-A7 A7597	~24.67640	96.98955	λl	23	0.00000
226	23 MET	CE C	-44 60710	-24.56281	101.21411	A1	23	0.00000
227 228	23 MET	0	-43.70841	-25.13566	100.62113	W.Z	23	0.00000
229	24 PHE	и	-45.43241	-25.30285	101.99622	YT	24	0.00000
230	24 PKE	H	-45.17063	-26.26850	102.03772	A1	24	0.00000
231	24 PHE	CA	-46.72021	~25.11140	102.69060	Al	24	0.00000
232	24 PHE	·CB	-47.06193	-23.70552	103.21139		24	0.00000
233	24 PHE	CG	-46 2287R	-23.27691	104.43188	Al	24	0.00000
234	24 PHE	CD1	-4E 28203	-24.06677	105.60532	A1	24	0.00000
235	24 PHE	CD2	-45 ER233	-22.04683	104.40460	~-	24	0.00000
236	24 PHE	CE1	-45 58915	-23.62279	106.75330	wr	24	0.00000
237	24 PHE	CE2	-AA ROORS	-21.60180	105.552/1	ΥT	24 24	0.00000
238	24 PHE	CZ	-44 R9594	-22.39162	106.72534	MI	24	0.00000
239	24 PHE	С,	47 88569	-25.61775	101.82116	V.	24	0.00000
240	24 PHE	0	-48.73152	-24.87778	101.36424	7.1 7.1	25	0.00000
241	25 ASP	N	-47.89855	-26.94593	101.74049	77	25	0.00000
242	25 ASP	H	-47.22437	-27.52403	102.20704	21	25	0.00000
243	25 ASP	CA	-48.86501	-27.64762	99.52046	בו	25	0.00000
244	25 ASP	CB	-48.21052	27.21335	98.47932	Al	25	0.00000
245	25 ASP	CG	-49.19634	720.30014	97.77589	Al	25	0.00000
246	25 ASP	ODl	-49.75750		98.38197	A1	25	0.00000
247	25 ASP	OD 2	-49.39656	-20.98699	101 56183	A1	25	0.00000
248	25 ASP	С	-49.18430	-20.98699	102.56241	Al	25	0.00000
249	25 ASP	0	-48.57317	-29.33714	101.00377	λī	26	0.00000
250	26 PHE	1 3	én conso	~79 39662	100.25349	~ 1	2 6	0.00000
251	26 PHE	H C'	-50.00050	-30.99701	101.54698	<i>7</i> .1	2€	0.00000
252	26 PHE	CA	-30.36024					

.,_~	يندن ، لايستعر		<u>ಇಬ್ಬ ಚಿಕ್</u> ತು	25 14:58:	48 1993		5	
253	26 PHE	C D	51.42378	8 -30.8309	3 102.82009	λ1	26	0.00000
254	26 PHE		52.6035		102.57724	λl	26	0.00000
255	26 PHE		-52.50391				26	0.00000
256	26 PHE	CD2	-53.78380	-30.4226			26	0.00000
257	26 PHE	CEl	-53.58477	7 -27.6870	L 102.66706		26	0.00000
258	26 PHE	CE2	-54.86474				26	0.00000 0.00000
259	26 PHE	CZ	-54.76149	-28.18547			26 26	0.00000
260	26 PHE	C		-31.82500 -31.38211) 100.51070 99.42184		26	0.00000
261	26 PHE	0	-51.63257	33.08225			27	0.00000
262	27 ASP	N	-51.5064C	-33.34660			27	0.00000
263	27 ASP 27 ASP	H Ca	-52.05815	-34.11623			27	0.00000
264 265	27 ASP	CB	-53.56271	-34.25359	100.24733		27	0.00000
266	27 ASP	CG	-53.82295	-35.66101	. 100.73899		27	0.00000
267	27 ASP	ODl	-52.95640	-36.23164	101.40272		27	0.00000
268	27 ASP	OD2	-54.89062	-36.19966	100.47314		27 27	0.00000
269	27 ASP	C	-51.70102	-34.05698	98.54820		27	0.00000
270	27 ASP	٥	-52.51335	-34.10386	97.63254 98.35075		28	0.00000
271	28 GLY	и	-50.39045 49.78144 -	-33.92246 -33.80079			28	0.00000
272	28 GLY		49,78144 -40 88845	-33.86633 -33.86633		Al	28	0.00000
273 274	28 GLY 28 GLY	CA.	_50 00090	-32.51821			28	0.00000
275	28 GLY	Ö	-49 04304	.1-32.03342			28	0.00000
276	29 ASP	и	-51 21573	-31.96145			29	0.00000
277	29 ASP	н		-32.39453	96.87595		29	0.0000
278	29 ASP	Cλ	-51.52130		95.43198	A1	29	0.0000
279	29 ASP	CB	-52.38232	-31.44665	94.30287	Al	29	0.00000
280	29 ASP	CG	-52.46245	-30.54960	93.07981		29	0.00000
281	29 ASP	ODl	-51.43429	-30.32445		Al	29	0.00000
282	29 ASP	OD2	-53.56233	-30.10545	.92.75048	λŢ	29 29	0.00000
283	29 ASP	C		-29.64631	96.07233 95.46732	2.)	29	0.00000
284	29 ASP	0	-52.39419	-28.59407 -29.81701	97.32405		30	0.00000
285	30 GT	×	-52.65130 -52.34793	-30.57647			30	0.00000
286	30 GLU	H	-53.43516	-28.70871	97.86160	Al	30	0.00000
287 288	30 GLÜ	CA CB	-54.71008	-29.18152		Al	30	0.00000
289	30 GLU	CG	-55.84100	-29.71506	97.67444	Al	30	0.00000
290	30 GFA	CD	-57.13279	-29.50058	98.43828	Al	30	0.00000
291	30 GLÜ	OEL	-57.79466	-30.47326	98.78969		30	0.00000
292	30 GLU	OE2	-57.48939	-28.34297		Al	30	0.00000
293	30 Crn	С		-27.80995	98.82987	Al	30 30	0.00000
294	30 GTA	0	-52.13191	-28.20198	99.84476 98.46B10		31	0.00000
295	31 ILE	N	-52.76110	-26.53268 -26.29454		A1	31	0.00000
296	31 ILE	. н	-53.28532 -51.98442	-26.23434	99.18511		31	0.00000
297	31 ILE	CA CB	-51.81933	-24.32331	98.23317		31	0.00000
298 299	31 ILE 31 ILE	CG2	-53.16329	-23.65625	97.91607		31	0.00000
300	31 ILE	CG1	-50.75168	-23,33810	98.71478	Al	31	0.00000
301	31 ILE	CD	-50.41981	-22,27940	97.66271	Al	31	0.00000
302	31 ILE	C	-52.51316	-25.12446	100.56211	Al	31	0.00000
303	31 ILE	0	-53.70233	-24.97567	100.82175	Al	31	0.00000
304	32 PHE	14	-51.54696		101.46562		32	0.00000 0.00000
305	32 PHE	н	-50.59061	-25.06998	101.18020	VT VT	32 32	0.00000
306	32 PHE	CA	-51.85606		102.84494	VI VI	32	0.00000
307	32 PHE	CB	-50.76201	-25.18703	103.73391	7.1 7.1	32	0.00000
308	32 PHE	CG	-51.19588	-20.22210	105.15120	Αl	32	0.00000
309	32 PHE 32 PHE	CD1	~52.49149	-26.22907	105.32111	Al	32	0.00000
310 311	32 PHS	CE1	-50.57386	-28.14516	106.12524	Al	32	0.00000
312	32 PHE	CE2	-52 82688	-27.19600	106.29575	A.1	32	0.00000
313	32 PHE	CZ	-51.86506	-20.15152	106.69566	Υı	32	0.00000
314	32 PHS	c c	-51.84397	-23.07181	103.07985	F. 1	32	0.00000
315	32 PHE	0	-52.76581	-22.45086	103.62205	Αl	32	0.00000 0.00000
316	33 HIS	N	-50.69099	-22.50451	102.70813	W.1	33	5.0000

```
Thu Fab 25 14:58:48 1993
./ವರ್ಷ_ಜಚೀ2.೦ಭರ
                                                                  0.00000
                       0.04312 -22.98834 102.10786 Al
  317
        33 HIS H
                      -_0.22576 -21.21727 103.23242 A1
                                                          33
                                                                  0.00000
        33 HIS
  318
                CA
                                                                  0.00000
                      -49.65908 -21.51540 104.63303 A1
                                                          33
  319
        33 HIS
                CB
                                                                  0.00000
                      -49.22984 -20.32142 105.45366 A1
                                                          33
        33 HIS
                CG
  320
                                                                  0.00000
                ND1 .-48.02826 -19.72793 105.37205 A1
                                                          33
  321
        33 HIS
                                                                  0.00000
                     -47.28999 -19.92757 104.75923 A1
                                                          33
        33 HIS
                HDl
  322
                                                                  0.00000
                      -49.97214 -19.68828 106.45019 A1
                                                          33
        33 HIS
                 CD2
 323
                      -49.20118 -18.70682 106.97086 Al
                                                          33
                                                                 0.00000
                NE2
        33 HIS
 324
                                                                 0.00000
                     -48.00110 -18.72654 106.30763 Al
                                                          33
        33 HIS
                 CEL
 325
                      -49.11511 -20.78472 102.29629 A1
                                                                  0.00000
                                                          33
                C
                                                                 0.00000
        33 HIS
 326
                      -48.59725 -21.61206 101.55845 A1
                                                          33
        33 HIS
                                                                  0.00000
 327
                      -48.74537 -19.50449 102.33695 A1
                                                          34
        34 VAL
                N
 328
                                                                 0.00000
                      -49.19429 -18.80802 102.90183 Al
                                                          34
        34 VAL
                Н
                                                                 0.00000
 329
                      -47.51776 -19.11490 101.64269 A1
                                                          34
                CA
        34 VAL
                                                                 0.00000
 330
                      -47.81303 -18.42567 100.28392 A1
        34 VAL
                CB
 331
                                                                 0.00000
                                                          34
                                          99.39158 Al
                 CG1 -46.56686 -18.41158
        34 VAL
 332
                                                                 0.00000
                                                          34
                                           99.49806 Al
                     -48.95871 -19.06363
        34 VAL
                CG2
 333
                                                                 0.00000
                      -46.79652 -18.14692 102.56509 A1
                                                          34
        34 VAL
                С
                                                                  0.00000
 334
                      -47.41849 -17.54298 103.42874 Al
                                                          34
        34 VAL
                0
 335
                                                                  0.00000
                                                          35
                     -45.47963 -18.03426 102.37666 A1
                N ----
        35 ASP
 336
                                                                 0.00000
                      -45.03039 -18.68906 101.76710 Al
                                                          35
        35 ASP
                H
 337
                                                                 0.00000
                      -44.68799 -16.93300 102.93355 A1
                                                          35
                 CA
                      -44.74876 -15.73492 101.94639 A1
 338
        35 ASP
                                                                 0.00000
                                                          35
                 CB
 .339
        35 ASP
                                                                 0.00000
                      -46.11850 -15.06364 101.88569 A1
                                                          35
                CG
 340
        35 ASP
                                                                 0.00000
                     -46.85196 -15.31279 100.93528 AL
                                                          35
        35 ASP
                 OD1
 341
                                                          35
                                                                 0.00000
                      -46.43780 -14.28565 102.78747 A1
                 OD2
 342
        35 ASP
                                                                 0.00800
                      -44.90949 -16.57120 104.41152 A1
                                                          35
 343
        35 ASP
                                                          35
                                                                 0.00000
                      -45.03304 -17.43137 105.27733 A1
 344
        35 ASP
                0
                                                                 0.00000
                      -44.91212 -15.26386 104.68945 A1
                                                          36
                Ν.
        36 MET
 345
                      -44.97503 -14.58792 103.95356 A1
                                                          36
                                                                 0.00000
                н .
 346
        36 MET
                                                                 0.00003
                      -45.05621 -14.74244 106.04065 A1
                                                          36
        36 MET
                CA
 347
                      -44.58443 -13.28473 106.01845 Al
                                                                 0.00000
                                                          36
                CB
 348
        36 MET
                     -43.15122 -13.10955 105.50403 A1
                                                                 0.00000
                                                          36
        36 MET
                CG.
 349
                                                                 0.00000
                      -42.96722 -11.71848 104.37016 A1
                                                          36
        36 MET
                SD
                                                                 0.00000
 350
                      -43.60204 -10.40582 105.42531 A1
                                                          36
                CE
        36 MET
 351
                                                                 0.00000
                      -46.49207 -14.77022 106.53712 A1
                                                          36
        36 MET
                C
 352
                                                                 0.00000
                      -46.75425 -14.73983 107.73458 A1
                                                          36
        36 MET
                0
 353
                                                                 0.00000
                      -47.43476 -14.78996 105.58618 A1
                                                          37
        37 ALA
                N
 354
                                                                 0.00000
                      -47.21869 -14.87225 104.60519 Al
                                                          37
        37 ALA
                Н
 355
                                                                 0.00000
                                                          37
                      -48.80100 -14.57493 106.05297 A1
                CA
 356
        37 ALA
                                                                 0.00000
                                                          37
                      -49.30059 -13.19637 105.61316 Al
        37 ALA
                CB
 357
                                                                 0.00000
                      -49.83252 -15.61256 105.65673 A1
                                                          37
        37 ALA
                C
                                                                 0.00009
 358
                      -49.85254 -16.18787 104.57639 A1
                                                          37
        37 ALA
                ٥
 359
                                                                  0.00000
                      -50.76933 -15.79391 106.59397 Al
                                                          38
        38 LYS
               . N
 360
                                                                  0.00000
                      -50.65212 -15.37866 107.49351 A1
                                                          38
                н
        38 LYS
 361
                                                                  0.00000
                                                          38
                      -52.00981 -16.48765 106.23832 Al
                CA
 362
        38
           LYS
                      -52.90628 -16.55867 107.48308 A1
                                                                  0.00000
                                                          38
                CB
 363
        38 LY5
                                                                  0.00000
                                                          38
                      -52.41585 -17.40517 108.60236 A1
                CG
        38 LYS
 364
                                                                  0.00000
                      -53.40991 -18.62084 108.86983 A1
                                                          38
        38 LYS
                 CD
 365
                                                                  0.00000
                      -53.42547 -19.66155 107.75111 A1
                CE -
                      -54.76503 -20.17861 107.56038 A1
 366
        38 LYS
                                                                  0.00000
                                                          38
                NZ
 367
        38 LYS
                                                                  0.00000
                     -54.79226 -20.92377 106.83759 A1
                                                          38
                HZl
 368
        38 LYS
                                                                  0.00000
                     -55.17879 -20.59510 108.44046 A1
                                                          36
                HZ2
 369
        38 LYS
                     -55.42747 -19.41621 107.27224 A1
                                                          38
                                                                  0.00000
 370
        38 LYS
                HZ3
                                                                  0.00000
                                                          38
                      -52.74081 -15.73437 105.12989 A1
                С
 371
        38 LYS
                     -52.72521 -14.51209 105.10297 A1
                                                                  0.00000
                                                          38
 372
        38 LYS
                0
                                                                  0.00000
                      -53.35457 -16.44351 104.17702 A1
                                                          39
                N
        39 LYS
 373
                                                                  0.00000
                      -53.59774 -15.96113 103.33578 Al
                                                          39
                и
 374
        39 LYS
                                                                  0.00000
                      -53.67982 -17.86931 104.22041 AL
                                                          39
        39 LYS
                CA
 375
                                                                  0.00000
                      -55.16971 -18.00506 104.55346 A1
                                                          39
        39 LYS
                CE
 376
                                                                  0.00000
                                                           39
                      -56.24681 -17.84030 103.42417 A1
                CG
 377
        39 LYS
                      -56.27039 -15.52580 102.62130 A1
                                                                 0.00000
                                                           39
                CD
 378
        39 LYS
                                                                 0.00000
                                                          39
                      -56.64532 -16.69161 101.13213 A1
                CΞ
 375
        39 LYS
                                                                 0.00000
                      -55,66137 -17.54082 300.43802 A1
 380
        29 LYS
```

./DR1_1	ಲಾನ.ಲು		mu Fab	25 14:58:4	8 1993		7	
203	39 LYS		55 05645	-18.54581	100.36313	λl	3	0.00000
381 382	39 LYS	HZI HZ2	-55.39863	-17.26725	99.46103	Al	39	0.00000
343	39 LYS	HZ3	-54.72486	-17.51921			39	0.00000
384	39 LYS	С	-53.44423	-18.44283	102.84433		39 39	0.00000
385	39 LYS	0	-53.43351	-17.67518	101.88936		40	0.00000
386	40 GLU	N	-53.41332	-19.77420	102.71883		40	0.00000
387	40 GLU	H	-53.16154	-20.43691 -20.14645			40	0.00000
388	40 GLU	CA	-54.08894	-20.84643	100.44056		40	0.00000
389	40 GLU 40 GLU	CB CG	-52.68203		99.41114	Al	40	0.00000
390 391	40 GLU	CD	-53.78227	-18.90107	98.89631	Al	40	0.00000
392	40 GLU	OE1	-53,60681	-17.68372	98.89245	Al	40	0.00000
393	40 GLU	OE2	-54.88246	-19.35560	98.59153	Al	40 40	0.00000
394	40 GLU	С	-55.46625	-20.74566	101.08479	A1	40	0.00000
395	40 GLU	0	-56.42031	-20.18304 -21.84976	102.35754	Αl	41	0.00000
396	41 THR	N	-53.56321	-22.20472	102.86321	A1	41	0.00000
397	41 THR 41 THR	II CA	-56.84476	-22.55464	102.30963	Al	41	0.00000
398 399	41 THR	CB	-56.55011	-24.05830	102.16109	A1	41	0.00000
400	41. THR	OG1	-57.73042	-24.75407	101.74066	Al	41	0.00000
401	41 THR	HG1		-25.59614	101.33840	Al	41 41	0.00000
402	41 THR	CG2	-55.95304		103.43152	A.1	41	0.00000
.403	41 THR	С	-57.85722	-22.26510	103.42344	Al	41	0.00000
404	41 THR	0	-57.59877	-21.93546 -22.41525	103.00455	Al	42	0.00000
405	42 VAL	Ŋ	-59.25687	-22.81422	102.09633	Al	42	0.00000
406	42 VAL 42 VAL	H CA	-60.29134	-22.03291	103.80812	Al	42	0.00000
407 408	42 VAL	CB	-61.57611	-22.26846	102.98525	Al	42	0.00000
409	42 YAL	CG1	-62.83989	-21.83994	103.74041	A1	12	0.00000
410	42 VAL	CG2	-61.49852	-21.55078	101.63610	Al	42	0.00000
411	42 VAL	Ç	-60.39368	-22.75550	105.14170	A.I	42 42	0.00000
412	42 VAL	O	-60.54018	-22.16641	106.20404	ומ	43	0.00000
413	43 TRP	N·	-60.26652	-24.07997 -24.53437	104.20145		43	0.00000
414	43 TRP	н.		-24.82113		Al	43	0.00000
415	43 TRR	CA	-60.33170	-26.25321	106.17013	Al.	43	0.00000
416	43 TRP 43 TRP	CB. CG	-60.96314	-26.72686	104.73262	Al	43	0.00000
417 · 418	43 TRP	CD2	-59.88712	-27.12198	103.92127	Al	43	0.00000
419	43 TRP	CE2	-60.47947	-27.49629	102.60102	Al	43 43	0.00000
420	43 TRP	CE3	-58.50029	-27.24274	104.12574 103.93459	11	43	0.00000
421	43 TRP	CD1	-62.11826	-26.86040	102.67766	A1	43	0.00000
422	43 TRP	NEI		-27.31306 -27.49046		A1	43	0.00000
423	43 TRP 43 TRP	HE1 CZ2		-27.96652	101.58525	Al	43	0.00000
424 425	43 TRP	CŽ3	-57 69263	-27.72260	103.07694	λl	43	0.00000
426	43 TRP	CH2	-50 24204	-28.07937	101.82597	λl	43	0.00000 0.00000
427	43 TRP	C.	_50 07150	-24.84373	107.16364	W.T	43 43	0.00000
428	43 TRP	0	_58 85050	-25.68073	100.02836	W.T	44	0.00000
429	44 ARG	N	-58.22471	-23.84563	106.89319	A1	44	0.00000
430	44 ARG	H	-58.31398	-23.27977 -23.49560	107 89144	A1	44	0.00000
431	44 ARG	CA	-57.22046	-23.69727	107.26013	Al	44	0.00000
432	44 ARG	CB	_ E A E 37 A 1	-23.63473	108.22026	Νı	44	0.00000
433 434	44 ARG 44 ARG	CG CD	62 20015	-23 64273	107.47000	~ .	44	0.00000
435	44 ARG	NE	62 18625	-23.26000	108.32672	P. 1	44	0.00000
436	44 ARG	HE	_ 52 36221	-22 91563	109.23:39	~ 1	44	0.0000
437	44 ARG	CZ	_ 50 03169	-23.33650	107.86473	~ +	4 4 4 4	0.00000
438	44 ARG	וואא	40 02358	-22 86519	108.30044	~ 1	44	0.00000
439	44 ARG		-48.98076	-22.52238	109.51721	۸ì	44	0.00000
440	44 ARG	HH12	-50.05162	-23 59024	100.03332	n +	44	0.00000
441 442	44 ARG	NH2	_ 40 77501	-23 96008	100.33:33	F. 4	44	0.00000
442	44 ARG 44 ARG	HH22	-51.41769	-24.25918	106.14195	Αì	44	0.00000
444	44 ARG	c	-57.42751	-22.05857	108.38029	A.J	44	0.00000

. בזע/.	באם. 2אבא		Thu Fab	25 14:58:4	8 1993		8	
	44 222	_	C 83064	-21.39201	108.88943	A I	44	0.00000
445	44 ARC 45 Leu	0	-58 65270	-21.55686	108.18548	A1	45	0.00000
446	45 LEU	и Н	-50 36846	-22.06382	107.69729	¥1	45	0.00000
447 448	45 LEU	CA	-SA 94679	-20.21897	108.70611	λl	45	0.00000
449	45 LEU	CB	59.87267	-19.46515	107.74942	УŢ	45	0.00000
450	45 LEU	CG	-50.15056	-18,96990	106.49579	Al	45	0.00000
451	45 LEU	CD1	-60:12534	-18.41906	105.47407	λl	45	0.00000
452	45 LEU	CD2	-58:10431	~17.92289	106.87944	VY	45	0.00000
453	45. LEU	c	_50 5581R	-20.20104	110.09168	λl	45	0.00000
454	45 LEU	õ	-50 53362	-19,19926	110.79199	YI	4.5	0.00000
455	46 GLU	N	-60 08917	-21.36024	110.48954	ΥI	46	0.00000
456	46 GLU	Ħ.	-60.14047	-22.14708	109.87631	Al	46	0.00000
457	46 GLU	CA	~60.58379	-21.47317	111.86481	Al	46	0.00000
458	46 GLU	ÇB	-61 47817	-22.71518	111.95437	ΧI	46	0.00000
459	46 GLU	CG	-60 80881	-24.02385	111.51772	ΥT	46 46	0.00000
460	46 GLU	CD	-61.85264	-25.11830	111.46594	Αı	46	0.00000
461	46 GLU	OE1	-62.26867	-25.47222	110.36424	V.	46	0.00000
462	46 GLU	OE2	-62.24894	-25.60616	112.52280	A.1	46	0,00000
463	46 GLU	С	-59.48698	-21.49323	112.92003	7.7	46	0.00000
464	46 GLU	·O	-59.60959	-21.22226	117 //77	a 1	47	0.00000
465	47 GLU	Ħ	-58.27888	-21.79310	112.44220	A 1	47	0.00000
466	47 GLU	Н	-58.18142	-22.06659 -21.73864	113 27698	Al	47	0.00000
.467	47 GLU	CA	-5708155	-22.09481	332 39059	A1	47	0.00000
468	47 GLU	CB	-55.89121	-23.50661	111 78977	Al	47	D.00000
469	47 GLU	CG	-55.95030	-24.5864B	112 78701	λl	47	0.00000
470	47 GLU	CD	-33.33410	-25.74409	112.37878	A1	47	-0.00000
471	47 GLU	051	-55.40000	-24.27876	113 95212	አገ	47	0.00000
472	47 GLU	OEZ	-55.29/43	-20.38151	113.91510	Al	47	0.00000
473	47 GLU	C	-56.63021	-19.35742	113.26194	Al	47	0.00000
474	47 GLU	0 N	-56 03907	-20.40716	115.24713	٨ì	48	0.00000
475	48 PHE 48 PHE	ъ.	-56.03007	-21.28123	115.72305	Al.	48	0.0000
476	48 PHE	CA.	-56 75617	-19.13647	115.96362	Αl	48	0.00000
477 478	48 PRE	CB	-57.20231	-19.34982	117.41420	Al	48	0.00000
479	48 PHE	CG	-58 41697	-18.49841	117.70829	Al	48	0.00000
480	48 PHE	CDl	-59.71122	-19.00320	117.44215	X1	48	0.00000
481	48 PHE	CD2	-58.25459	-17.19966	118.24455	A1	48	0.00000 0.00000
482	48 PHE	CE1	-60.84630	-18.20670	117.71246	A1	48	0.00000
483	48 PHE	CE2	-59.38940	-16.40286	118.51469	A1	48 48	0.00000
484	48 PHE	CZ	-60.68202	-16.90878	118.24779	A7	48	0.00000
485	48 PHE	С	-55.39240	-18.46628	115.93777	ΥŢ	48	0.00000
486	48 PHE	0	-54.35117	-19.07618	115.72587	Al	49	0.00000
487	49 GLY	N		-17.15361	116.19781	VI.	49	0.00000
488	49 GLY	ĸ		-16.72101	116.34575 116.13162	N.I	49	0.00000
489	49 GLY	Cγ	-54.23420	=16.30520	116.13162	7.7	49	0.00000
490	49 GLY	C	-52.92695	-16.86464 -16.69886	116.0000	Al	49	0.00000
491	49 GLY	0	-51.85815	-17.56211	117.81779	λl	50	0.00000
492	50 ARG	N	-23.03315	-17.67284	118.24069	Al	50	0.00000
493	50 ARG	H	-53.93000	-16.16800	118.42224	Al	50	0.00000
494	50 ARG 50 ARG	CA CB	-52 27437	-18.92760	119.68340	W.I	50	0.00000
495 496	50 ARG	CG.	-51.10260	-19.32736	120.58254	Al	50	0.0000
497	50 ARG	CD	-51 63002	-20.14774	121.80047	WT	50	0.00000
498	50 ARG	ИE	_50 37432	-20.44943	122.64580	V.7	50	0.00000
499	50 ARG	HE	-49 69865	-19.71957	122.75767	ĀΊ	50	0.00000
500	50 ARG	CZ	-50 24449	-21.63184	123.26571	Y1	50	0.00000
501	50 ARG	ועמ	-49 18578	-21.84466	124.04503	Y1	50	0.00000
502	50 ARG	u233	-40 05579	-22 71179	124.52612	P. 1	50	0.00000
503	SO ARG	KH12	-48 £9360	-21,13233	124.16933	~ 7	50	0.00000 0.00000
504	50 ARG	N:22	-51 15926	-22.58629	123.10623	8.1	50	0.00000
505	50 ARG	4421	-61 DED73	-73 47414	123.56513	A.	50 50	0.00000
506	50 ARG	RH22	-53 95092	-22.42795	122.32032	~ 1	50 50	0.00000
507	50 ARG	С	-51 06703	-19.09561	TT1.42017	~-	50	0.00000
508	50 ARG	0	-49.84240	-19.09133	111.47250	F	J.,	

_נגינו/.	೯೬೫೦ . ೧೬೨೨		Thu Fab	25 14:58:4	8 1993		9	
509	51 PHE	и	84915	-19.87776	116.73839	Al	51	0.00000
510	51 PHE	н	84564 كر-	-19.76657	1 116.76797	Αl	51	0.00000
513	51 PHE	CA	-51.29477	-20.78796	115.73402	λl	51	0.00000
512	51 PHE	CB	-52.51672	-21.52503	115.15449	λl	51	0.00000
513	51 PHE	CG	-52.25099	-22.49194	114.02359	Al	51	0.00000
514	51 PHE	CD1	-51.87888	-23.82851	114.29503	Al	51	0.00000
515	51 PHE	್ ದಾ2	-52.45788	-22.06484	112.69289	N1	51 51	0.00000
516	51 PHE	CEl	-51.72483	-24.74421	113.22969	V.T	51	0.00000
517	51 PHE	CE2	-52.30778	-22.90002	111,63059	A1	51	0.00000
518	51 PHE	CZ	-51.94314	-24.31860	111.90000 114.69371	λ1	51	0.00000
519	51 PHE	C	-50.50268	-20.00696	114.47961	Al	51	0.00000
520	51 PHE	0	-49.31201	-19 03212	114.10202	Al	52	0.00000
521	52 ALA	·И	-52 16823	-18.89764	114.33870	A1	52	0.00000
522	52 ALA 52 ALA	л СА	-50 54896	-18.16486	113.11957	Al	52	0.00000
523 524	52 ALA	CB	-51.52058	-17.09216	112.62511	A1	52	0.00000
525	52 ALA	c	-49.28257	-17.48933	113.62687	A1	52	0.0000
526	52 ALA	ō	-48.27008	-17.39834	112.94510	Al	52	0.00000
527	53 SER	N	-49.35763	-17.04955	114.88764	λ1	53	0.00000
528	53 SER	H	50.22411	-17.11498	115.38567	A1	53	0.00000
529	53 S ER	CA	-48.18100	-16.47055	115.53815	Al	53	0.00000
530	53 SER	CB	-48.58146	-16.02158	116.95383	AI	53 53	0.00000
531	53 SER	oG		-15.15541	117.52845	W1	53 53	0.00000
532	53 SER	HG	-47.85158	-14.90357	118.42105	7.1	53	0.00000
533	53 SER	c	-46.99433	-17.42/3/	115.57426 115.12568	Al	53	0.00000
534	53 SER	0	-45.89463	-18.64220	116.08200	Al	54	0.00000
535	54 PHE	к .	-47.20002	-18.87361		Al	54	0.00000
536	54 PHE 54 PHE	r Ca	-46 18727	-19.64350	116.09999	A1	54	0.00000
537 538	54 PHE	CB.	-46 69548	-20.99079	116.63413	A1	54	0.00000
539	54 PHE	CG.	-46.90625	-20.99411	118.13255	λl	54	0.00000
540	54 PHE	CD1	-48.11656	-21.50316	118.65539	A1	54	0.00000
541	54 PHE	CD2	-45.89246	-20.53119	119.00621	Al	54	0.00000
542	54 PHE	CEl	-48.31310	-21.55376	120.05266	A1	54	0.00000
543	54 PHE	CE2	-46.08993	-20.57973	120.40382	λl	54	0.00000
544	54 PHE	CZ		-21.09192	120.92307	Al	54 54	0.00000
545	54 PHE	С	-45.57270	-19.90650		Al	54 54	0.00000
546	54 PHE	0	-44.36030	-19.93109	114.55246 113.76558	λl	55	0.00000
5,47	22 CLU	N	-46.46681	-20.08976	113.76556		55	0.00000
5.48	55 GLU	Н.	-47.45338	20.04226	112.42886	λì	55	0.00000
5.49	55 GLU	CA	-45.97322 -47.14512	-20.41343	111.54876	A1	55	0.00000
550	55 GLU	CB	47 07567	-21 96126		Al	55	0.00000
551	55 GLU 55 GLU	.CD CC	-49.04456	-22.36202	111.27677	λl	55	0.00000
552 553	55 GLU	OE 1	-49 15553	-23.53977	110.96047	Al	55	0.00000
554	55 GLU	OE2	-49.80524	-21.50984	110.81474	A1	55	0.00000
555	55 GLU	C.	-45 19354	-19.30188	111.76318	WT	55	0.00000
55.6	55 GLU	o:	-44 12678	-19.50387	111.19343	A1	55	0.00000
557	56 ALA	N	-45.73650	-18.08673	111.89532	Al	56 56	0.00000
558	56 ALA	H	-46.62336	-17.96765	112.34890	YT.	56 56	0.00000
559	56 ALA	CA	-45.00414	-16.92733	111.38640	AT.	56	0.00000
560	56 ALA	ÇB	-45.80074	-15.638/1	111.59969	A1	56	0.00000
561	56 Ala	C	-43.63772	-16.77643	112.02791 111.36878	A1	56	0.00000
562 563	56 ALA	0	-44.04000	-16 91454	113.35929	A1	57	0.00000
563	57 GLN	N N	-43.03000 -42.68826	-17.03983	113.86832	Al	57	0.00000
564 565	57 GLN	CΛ H	-42 35063	-16.88200	114.06847	ΑI	57	0.0000
565 566	57 GLN 57 GLN	C3	-42.61987	-17.03049	115.56930	Al	57	0.00000
567	57 GLN	CG	-61 40659	-15.75355	116.45895	P. 1	57	0.00000
566	57 GLN	CD	-41 80070	-16.94589	117.90800	Al	57	0.00000
569	57 GLN	OEl	-62 29879	-16.06206	118.58910	ΝI	57	0.00000
570	57 GLN	NE2	-41 55425	-16.16011	116.38366	w.T	57	0.00000
571	57 GLN	HE21	-41.14709	-18.27175	117.81526	ΥT	57	0.00000 0.00000
572	57 GL#	HE22	-41.78115	-18.36728	119.33313	P. 1	57	0,0000

./DR: }	ಬಾಣಿ. ಆರಾ		Thu Feb 25 14:58:48 1993	10
			313 50025 N1	57 0.00000
573	57 GLN	C	1.36213 -17.94055 113.59025 A1 -40.18971 -17.68051 113.34773 A1	
574	57 GLN	0	-41.88825 -19.15742 113.41319 A1	0.00000 عد
373	58 GLY	И	-42.84771 -19.33514 113.64847 A1	58 0.00000
576	58 GLY	H	-41.05379 -20.23393 112.87374 A1	58 0.00000
577	58 GLY	CV.	-40 45534 -19,92781 111.50957 AL	36 0.0000
578 579	58 GLY	0	-30 25324 -20.01021 111.27849 AI	30 0.0000
580	59 ALA	н	-43 34654 -19,52227 110.60018 AL	59 0.00000
581	59 ALA	н	-42 32072 -19.46762 110.83485 AL	59 0.00000 59 0.00000
582	59 ALA	CA	-40 88666 -19.14537 109.26181 AL	
583	59 ALA	CB	-42 07124 -18 74086 108.30101 AL	59 0.00000 59 0.00000
584	59 ALA	С	-39.86090 -18.02257 109.26073 A1	59 0.00000
585	59 ALA	٥.	-38.85187 -18.04905 108.56603 A1	60 0.00000
586	60 LEU	N	-40.12979 -17.02925 110.11113 A1	60 0.00000
587	60 LEU	H	-40.96678 -17.03715 110.66448 A1 -39.17026 -15.93079 110.21454 A1	60 0.00000
588	60 LEU	CA	-39.82974 -14.72108 110.88234 A1	60 0.00000
589	SO LEU	CB	-41 00342 -14.16448 110.0620/ AL	60 0.00000
590	60 TER	COI	-42 72077 -13.05637 110.831/2 A1	60 0.00000
591 592	60 LEU	CD2	AO 54068 -13.69403.108.67834 AL	60 0.00000
593	60 LEU	C	-37 R6300 -16.28607 110.30343 A4	60 0.00000 60 0.00000
594	60 LEU	0	-36 81366 -15.71151 110.64266 MI	60 0.00000
595	61 ALA	И	-37.9254817.30628.111.76650 A1	61 0.00000
596	61 ALA	H	-38.80416 -17.70206 112.04737 A1	61 0.00000
597	61 ALA	CA	-36.66060 -17.86080 112.25036 A1 -36.90091 -18.87147 113.37402 A1	61 0.00000
598	61 ALA	CB	-36.90091 -18.87147 113.37402 A2	61 0.00000
599	61 VLA	C	-35.86632 -10.32303	61 0.00000
600	61 ALA	· 0		62 0.00000
601	62 A9N	N	-36.59182 -19.33811 110.35468 AL -37.55651 -19.52444 110.56458 AL	62 0.00000
602	62 ASN	E C	-25 02044 -19 97053 109.20954 AL	62 0.00000
603 604	62 ASN 62 ASN	CA CB	-36 00608 -20.83397 108.91103 AL	62 0.00000
605	62 ASN	CG	_36 14296 -21 97501 107.76/6/ AL	62 0.00000
606	62 ASN	0D1	-36 90083 -23,00051 108,38915 AL	62 0.00000 62 0.00000
607	62 ASN	ND2	-35 81296 -21.80385 106.49294 AL	62 0.00000 62 0.00000
608	62 ASN	HD21	-35.71613 -20.90910 106.04169 A1	62 0.00000
609	62 ASN	KD22	-35.64736 -22.62041 105.92778 A1 -35.27272 -18.97317 108.27635 A1	62 0.00000
610	62 VZN	C	2222 202 202 202 202 202 202 202 202 20	62 0.00000
611	62 ASN	0	-34.08977 -19.05772 107.98073 A2 -36.07385 -17.96130 107.91224 A1	63 0.00000
612	63 ILE	н	-36.07385 -17.96130 107.3222 -37.03805 -17.97906 108.18770 A1	63 0.00000
613	63 ILE	K	-35.60960 -16.86395 107.05550 A1	63 0.00000
614	63 ILE 63 ILE	CA CB	36 70600 -15 88630 106.84927 A1	63 0.00000
615 616	63 ILE	CG2	26 710AA -14 58751 107.00300 A+	63 0.00000 63 0.00000
617	63 ILE	CG1	27 00443 -15 60068 105.36460 51	63 0.00000 63 0.00000
618	63 ILE	CD	-ac 27181 -14.79756 103.00440 A4	63 0.00000
619	63 ILE	Ć	-21 20101 -16 14412 IU/. 1070	63 0.00000
620	63 ILE	0	-33.67028 -15.43835 106.72047 A1	64 0.00000
621	64 ALA	N	-33.97867 -16.34078 108.76481 A1 -34.55914 -16.88095 109.37800 A1	64 0.00000
622	64 ALA	H	-32 68252 -15.86370 109.23001 A1	64 0.00000
623	64 ALA	CA	-32.78414 -15.37252 110.67448 R1	64 0.00000
624	64 ALA	C3 C	-31 59374 -16.91956 109.13003 AL	64 0.00000
625 626	64 ALA 64 ALA	0	_20 45701 ~16.65389 108./3414 AL	64 0.00000
627	62 AYT	N	-31 96750 -18 15367 109 50633 AL	65 0.00000
628	65 VAL	н	-32 92093 -18.37377 109.714U1 AL	65 0.00000 65 0.00000
629	65 VAL	CA.	_ 2A d1507 -19 17596 109.4/934 A*	
630	65 VAL	C3	21 20:12 -20 41152 110.33244 01	65 0.00000 65 0.00000
631	65 VAL	CG1	_21 53666 -19 97521 111 1/344 04	65 0.00000
632	65 VAL	CG2.		65 0.00000
633	65 VAL	С	-30.45713 -19.56758 108.05237 A1 -29.26568 -19.71596 107.82437 A1	65 0.00000
634	65 VAL	0	2 12 12 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	65 0.00000
635	66 ASP	N L:	-31.42136 -19.48037 107.38832 A1	65 0.00000
536	SS ASP	H		

_نبدنار.	ದ್ದು, 2)ಬ್ಗ		Tau Feb	25 14:58:	48 1993	13	
63.7	66 ASP	CA	11.04858	-19.9321	5 105.76795	k1 66	00000.0
638	66 ASP	CB	2.31036ء -	-20.2496	5 104.93007	k1 66	0.00000
£3 <i>\$</i>	36 ASP		-33,44297	-19.24219	105.08208	k1 66	0.0000
640	66 ASP	ODI	-33.16986	-18.0511	105.20729	k1 66	
641	66 ASP	OD2	-34.60286	-19.65468	3 105.08126	11 66	0.00000
642	66 ASP	C	-30.18178	-18.83449	105,15564	11 66	0.00000
643	66 ASP	ō	-29,16482	-19.06872	2 104.50705	77 66	0.00000
644	67 LYS	N	-30.56424	-17.59916	105.48017	11 67	0.0000
645	67 LYS	H	-31.49538	-17.48655	105.84055	U 67	0.00000
646	67 LYS	CA	-29.72959	-16.43204	105.19320	u 67	0.00000
647	67 LYS	CB	-30 39071	-15.23196	; 105.87104 /	1 67	0.00000
648	67 LYS	CG	-29.79159	-13.86177	105.56853 /	11 67	0.00000
649	67 LYS	CD	-30.51506	-12.79056	106.38164	1 67	0.00000
650	67 LYS	CE	-29.96446	-11.38645	106.14720 /	1 67	0.00000
651	67 LYS	NZ		-10.44891	107.01869 3	1 67	0.00000
652	67 LYS	HZl	-30.33262				0.00000
653	67 LYS	HZ2	-31.70143	-10.49161	106.80064 7		0.00000
654	67 LYS	H23	-30.53221	-10.71804		1 67	0.00000
655	67 LYS	C	-28.28117 27.33559	-16.36033		1 67	0.00000
656	67 LYS		-28.12520	-16 92373		1 68	0.00000
657	68 ALA	N	-28.12320	-17 00935	107.53692	1 68	. 0.00000
658	68 ALA	H CA	-2676352	-17 18143	107.40958 A	1 68	0.00000
659 660	68 ALA	CB	-26.77377	-17.44846		1 68	0.00000
661	68 ALA	c	-26.07149	-18.34364		1 68	0.00000
662	68 ALA	ō	-24.88989	-18.33297	106.37143 8	1 68	0.00000
563	69 ASN	N	-26.87877	-19.37475	106.44973 A	1 69	0.0000
.664	69 ASN	н	-27.84416	-19.34421	106.72158 አ	1 69	0.00000
665	69 ASN	CA	-26.32826	-20.54731	105,77098 A	1 69	0.00000
666	69 ASN	CB	-27 33794	-21.70567	105.74618 A	1 69	0.00000
667	69 ASN	CG	-27 75534	-22.20215	107.12937 A	1 69	0.00000
668	69 ASN	OD1	-28.81753	-22.77967	107.30600 A	1 69	0.00000
669	69 ASN	ND2	-26.90880	-21.98927	108.13718 A	1 69	0.00000
670	69 ASN	HD21	-26.02949	-21.53117	108.03476 A		0.00000
671	69 ASN	HD22	-27.17968	-22.29754	109.04652 A	1 69 1 69	0.00000
672	69 ASN	С	-25.83413	-20.25827	104.36379 A	1 69	0.00000
673	69 ASN	0	-24.88019	-20.87818	103.89106 A 103.71664 A	1 70	0.00000
674	70 LEU	N	-26.46696	-19.27200	104.12686 A	70	0.0000
675	70 LEU	H	-25 03555	-18.80513	102.42930 A	1 70	0.0000
676 677	70 LEU 70 LEU	CA CB	-26 70466	-17.57714	101.93156 A	1 70	0.00000
678	70 LEU	CG	-28.07464	-17.87907	101.32608 A	1 70	0.0000
679	70 LEU	CD1	-28.90878	-16.60756	101.23109 A	1 70	0.00000
680	70 LEU	· CD2	-27.93286	-18.56192	99.96378 A	1 /0	0.00000
681	70 LEU	C	-24.47328	-18.42736	102.51389 A	1 70	0.00000
682	70 LEU	0	-23.64160	-18.86456	101.72791 A	2 70	0.00000
683	71 GLU	N	-24.17065	-17.62592	103.5424U A	1 /1	0.00000
684	71 GLU	H	-24 87529	-17.33320	104.19342 A	1 71	0.00000
685	71 GLU	CA	-22.77384	-17.24207	103.73624 A	1 71	0.00000 0.00000
686	71 GLU	CB	-22.68099	-16.23884	104.88750 A	1 71 1 71	0.00000
687	71 GLU	CG	-21.33647	-15.50613	104.93364 A		0.00000
688	11 Cra	CD	-21.30052	-14.53829	106.10023 A		0.00000
689	71 GLU	OE1	-20.27115	-14.47665	106.76970 A		0.00000
690	71 GLU	0E2	-22.29376	-15.65U14	106.33423 A 103.97868 A		0.00000
691	71 GLU	C	-21.86369	-10.43000 -10 £1050	103.36820 A		0.0000
692	71 GLU	0,	-50.81543	-16 31836	104.86364 A		0.0000
693	72 ILE	N I	-22.34003	-19 12120	105.33200 A		0.0000
694	72 ILE	H Cf	-23.21301	-20.53142	105.13649 A		0.00000
695 696	72 ILE	CA CB	-22.70703	-21.40405	106.17923 A	72	0.00000
696 697	72 ILE 72 ILE	CG2	-21.51796	-22.68646	106.50604 5	1 /2	0.00000
696	72 ILE	CG1	-22.55172	-20.59465	107.45409 A	1 /2	0.00000
699	72 ILE	CD	-23.34528	-21.36378	108.51180 A	1 :2	0.00000
730	72 ILE	č	-21.22106	-21.35113	103.89490 A	72	0.00000
• •		-					

	ಮಣ್ಣ.ಬಹ		The Fab 2	25 14:5B:4	8 1993		12	
						. 1	72	0.00000
701	72 ILE	0	20.06679	-21.68162	103.64178	Al	73	0.00000
702	73 MET	н	-22.24406	-21.67127	103.03750	Al.	73	0.00000
703	73 MET	H	-23.17806	-21.34412	103.27503	λl	73	0.00000
704	73 MET	CA	-21.88577 -23.02917	-22.51146	101.55552	λl	73	0.00000
705	73 MET	CB	-23.02917	24 44901	102.69030	A1	73	0.00000
706	73 MET	CG	-23.30745 -24.39480	24,44002	102 19686	A1	73	0.00000
707	73 MET	SD	-24.39480	-25.75032	103.81212	Al	73	0.00000
708	73 MET	CE	-21.30840	-21.79430	100.75010	Al	73	0.00000
709	73 MET	C	-20.54740	-22.36938	99.97894	A1	73	0.00000
710	73 MET	0	-21.60342	-20.49214	100.63510	Al	74	0.00000
711	74 THR 74 THR	N H	-22.28955	-20.04403	101.21510	λl	74	0.00000
712	74 THR	Ċλ	-20.82593	-19.73833	99.64704	λl	74	0.00000
713 714	74 THR	CB	-21,46299	-18.35496	99.36040	Al	74	0.00000
715	74 THR	OG1	-21.01301	-17.84761	98.09669	VI	74	0.00000
716	74 THR	HG1	-20.04699	-17.88381	98.02785	A1	74	3.00000
717	74 TIIR	CG2	-21.20740	-17.31089	100.44667	Al	74 74	0.00000
718 .		С	-19.35170	-19.61359	100.02467	AI	74	0.00000
719	74 THR	0	-18.48554	-19.49348	99.16750	WT.	75	0.00000
720	75 LYS	·N ·	-19.08538	-19.69260"	101.33717	71	75	0.00000
721	75 LYS	H	-19.81875	-19.65220	102.02321	ומ	75	0.00000
722	75 LYS	CX	-17.69833	-19.83955		A)	75	0.00000
723	75 LYS	CB	-17.61408	-19.57287	103.27737	27	75	0.00000
724	75 LYS	CG	-16.20208	-19.66133	105.38567	Al	75	0.00000
725	75 LYS	CD	-16.21091	-19.57437 -19.74395	105.98417	Al	75	0.00000
726	75 175	CE	-14.81504	-19.74333		Al	75	0.00000
727	75 LYS	N2	-14.91179	-10 63508	107.86470	Al	75	0.00000
728	75 LYS	HZ1	-13.96820 -15.29159	-10 77551	107.74094	A1	75	0.00000
7.29	75 LYS	H22	-15.29139	-20 45317	107.77639	Al	75	0.00000
730	75 LYS	H23	-17.14118	-21.21778	101.45102	Αl	75	0.00000
731	75 LYS	C. 0	-16.11623	-21.36022	100.79660	Al	75	0.00000
732 733	75 LYS 76 ARG	N	-17.86151	-22.25466	101.90990	A1	76	0.00000
734	76 ARG	н	-18.69512	-22.09296	102.44436	Al	76	0.00000
735	76 ARG	CA	-17.35520	-23.61422	101.67525	λl	76 76	0.00000
736	76 ARG	CB	-18.33654	-24.68494	102.17145	Al	76 76	0.00000
737	76 ARG	CG	-18.82789	-24.66219	103.62361	Al	76 76	0.00000
738	76 ARG	CD	-19.55383	-25.98411	103.91795	A.I	76	0.00000
739	76 ARG	NE,	-20.36155	-25.99642	105.14334	V.1	76	0.00000
740	76 ARG	HE	-21.34527	-25.85364	105.02407	11	76	0.00000
741	76 ARG	CZ		-26.28686		A1	76	0.00000
742	76 ARG	NH1	-20.67426		108.30551	Al	76	0.00000
7,43	76 ARG	HH11		-26.64144	107.26619	Al	76	0.00000
744	76 ARG	HHIZ	-21.67206	-26.41209	106.51158	Al	76	0.00000
745	76 ARG	NH2	-18.53304 -18.12377	-26.41203	107.39854	Al	76	0.00000
746	76 ARG	HH21	17 02942 4	-26.29542	105.72237	λl	76	0.00000
747	76 ARG	nnzz C	-17.06072	-23.91761	100.70.00		76	0.00000
748 749	76 ARG 76 ARG	0	-16.02715	-24.45819	46.67.774	~-	76	0.00000
750	77 SER	N	-18.01091	-23.50462	99.36716	λl	77	0.00000 0.00000
751	77. SER	H.	-18.84286	-23.05363	99.69917	Al	77	0.00000
752	77 SER	CA	-17.80506	-23.71642	97.93702	Al	77	0.00000
753	77 SER	CB	-19.13837	-24.15898	97.32351	Y)	77	0.00000
754	77 SER	OG	-18.92403	-25.08061	96.24728	AI	77 77	0.00000
755	77 SER	HG	-18.99574	-24.62840	.95.39572	V.T	77	0.00000
756	77 SER	Ċ	-17.22854	-22.51234	.97.20137 96.00106	7. 7.	לל	0.00000
757	77 SER	Ó	-i7.39865 ·	-22,33993	97.97646	21	78	0.00000
758	78 ASN	15	-16.52714	-21.66994	98.96113		78	0.00000
759	78 ASK	н	-16.44843	-21.09U0Z	97.45264		78	0.00000
760	78 ASN	CA	-15.74721 -14.33390	-20.3363/	97.09195	٨l	78	0.00000
761	78 ASN	CB	-14.33390	-21.013,7	98.36114	Al	78	0.0000
7 62	75 ASN	CG	-13.52995	-20.31632	98.89264	Al	78	0.00000
763	78 ASN	CD1 ND2	-13.55264	-22.45457	ya. 85326	Al	78	0.00000
755	78 ASK	1.2.4	~~;~~~·					

./DR1_	KIN2.CKD		Thu Feb	25 14:58:48	3 1993	13	
765	78 ASN	HD21	4.08412	2 -23.19170	98.43678 81	78	0.00000
766	78 ASN	HD22	-13.03871	-22.65362	99.68493 Al	78	0.00000
767	78 ASN	c	-16.34134	-19.72172	96.31352 Al	78	0.00000
768	78 ASN	0	-15.71478	-19.42979	95.30178 Al	78	0.00000
769	79 TYR	N		-19.32597	96.52354 A1	79 79	0.00000
770	79 TYR	Ħ	-18.05424	-19.55771	97.38252 A1 95.49858 A1	79	0.00000
771	79 TYR	CY	-18.21408	3 -18.48918 1 -18.92649	95.21260 Al	79	0.00000
772	79 TYR	CB CG	-19.74485		94.65360 Al	79	0.00000
773 774	79 TYR 79 TYR	CD1	-20.64246	-21.23278	95.25950 Al	79	0.00000
775	79 TYR	CEI	-20.76017	-22.54189	94.75217 A1	79	0.00000
776	79 TYR	CD2	-18.96361	-20.72112	93.54108 Al	79	0.00000
777	79 TYR	CE2	-19.07884	-22.03339	93.03642 Al	79	0.00000
778	79 TYR	CZ	-19.97533	-22.93822	93.64752 A1	79	0.00000
779	79 TYR	ОН	-20.07585	-24.23438	93.18578 A1	79 79	0.00000
780	79 TYR	нн	-19.67682	-24.30670	92.31232 Al 95.83719 Al	79	0.00000
701	79 TYR	C.	-18.21035	-17.01261	96.76683 Al	79	0.0000
782	79 TYR	0	-18.85099	-16.51273 -16.33235	95.00452 A1	80	0.00000
783	80 THR	N	-17.42437	-16.79509	94.24288 Al	80	0.00000
784 785	80 THR 80 THR	СУ Н	~17.09577	-14.92660	95.20513 A1	80	0.00000
786	80 THR	CB	-15.89072		96.18098 Al	80	0.00000
787	80 THR	OGl	-15.49849	.,-13.52440	96.43537 Al	80	0.00000
788	80 THR	HGl	-14.60960	-13.50159	96.80560 A1	80	0.00000
789	80 THR	CG2.	-14.69719	-15.72265	95.72104 A1	80	0.00000
790	80 THR	С	-16.77512	-14.32258	93.83840 Al	80 80	0.00000
751	80 THR	Ö	-16.16879	-14.97644	92.99811 A1	81	0.00000
792	81 PRO	N	-17.23243	-13.08096	93.61451 Al 94.50529 Al	81	0.00000
793	81 PRO	CD	-18.04687	-12.25452 -12.43774	92.32255 A1	81	0.00000
794	81 PRO	CA	-16.95963 -18.08102	-11.39225	92.28996 A1	81	0.00000
795	81 PRO	CG CG	-18 22970	-10.94901	93.74456 Al	81	0.00000
796 797	81 PRO 81 PRO	C	-15.57247	-11.80328	92.25040 A1	81	0.00000
798	81 PRO	ρ,	-15.41926	-10.58936	92.16776 Al	81	0.00000
799	82 ILE	N .	-14.55883	-12.66988	92.27154 A1	82	0.00000
800	82 ILE	H	-14.69364	-13.66392	92.31920 Al	82	0.00000
801	82 ILE	CA		-12.18130	92.13921 A1	82	0.00000
802	85 ITE	CB	-12.60010	-11.87598	93.53959 Al	82 82	0.00000
803	82 ILE	CG2	-12.41140	-13.13773	94.38674 A1 93.44331 A1	82	0.00000
804	82 ÎLE	CG1	-11.31152	-11.05228 -10.62709	94.80896 A1	82	0.00000
805	82 ILE 82 ILE	CD C	-10.76554 -12.35649	-13.19907	91.37376 Al	82	0.0000
806 807	82 ILE	OCT1	-11.36717	-12.81747	90.75062 A1	82	0.0000
808	82 TLE		-12.72556	-14.37446	91.38671 Al	82	0.00000
809	B3 GLY	N	-17.53322	-0.31236	94.99084 Bl	1	0.00000
810	83 GLY	HTl	-17.21994	0.44323	94.35235 B1	1	0.00000
вii	83 GLY	HT2	-16.86357	-1.12219	94.96444 B1	1	0.00000
812	83 GLY	HT3	-17.61098	0.01920	95.97150 B1	1	0.00000
813	83 GLY	CA	-18.79853	-0.91116	94.55151 B1 94.66351 B1	î	0.00000
814	83 GLY	C	-18.52573	-2.38203 -2.70920	94.84086 B1	ī	0.0000
815	83 GLY		-17.35786 -19.57260	÷3.20239	94.59303 Bl	2	0.00000
816	84 ASP 84 ASP		-20.49658	-2.89510	94.35600 B1	2	0.00000
817 818	84 ASP		-19.43900	-4.63200	94.86181 B1	2	0.00000
819	84 ASP		-19.44643	-4.83356	96.38475 Bl	2	0.00000
820	84 ASP		-18.89301	-6.19619	96.73815 B1	2	0.00000
821	04 ASP	OD1	-17.69451	-6.29764	96.98109 B1	2	0.00000
822	84 ASP	OD2	-19.66566	-7.14958	96.75715 B1	2 2	0.00000
923	84 ASP	С	-20.62766	-5.31072	94.19848 Bl 93.63479 Bl	2	0.00000
824	84 ASP	0	-21.46903	-4.61697	94.24891 B1	3	0.00000
925	85 THR	N	-20.67796	-6.64606 -7.15926	94.84032 B1	3	0.00000
826	es THR		-20.04362	-7.13926 -7.39367	93.59154 Ei	3	0.00000
827	65 TKR		-21.75257 -21.58903	-7.31950	92.05122 E1	3	0.00000
323	95 THR	C5					

```
14
                       Thu Feb 25 14:58:48 1993
./שאב_באש. כאם
                                                                  0.00000
                                            91.39964 81
        85 THR OG1
                       22.76265 -7.82480
  829
                                                                  0.00000
                                            90.46343 B1
                                                           3
                                 -7.60152
                      -22.73431
  830
        85 THR
                HG1
                                                                  0.00000
                                                           3
                                            91.53071 Bl
                                 -8.02078
                      -20.32966
  23.:
        85 THR
                 CG2
                                                                  0.00000
                                            94.09035 B1
                                                           3
                                 -8.83241
                      -21.74290
  832
        85 THR
                 С
                                                                  0.00000
                                 -9.30377
                                             94,65381 Bl
                                                           3
                      -20.76454
        85 THR
  833
                 0
                                             93.88799 Bl
                                                                  0.00000
                      -22.86491
                                 -9.52779
        86 ARG
                 N
  834
                                                                  0.00000
                                             93.36423 B1
                                 -9.13760
        86 ARG
                      -23.62404
                H
 835
                                             94.44830 Bl
                                                                  0.00000
                      -22.93360 -10.87552
 836
        86 ARG
                 CA
                                                                  0.00000
                                             95.86916 Bl
                                                           4
                      -23.51668 -10.79083
        86 ARG
                CB
 837
                                                                  0.00000
                                             96.87092 B1
                      -22.74323 -11.65365
 838
        86 ARG
                 CG
                                                                  0.00000
                                             97.02541 B1
                                                           4
                      -23.23116 -13.10294
        86 ARG
                CD
 839
                                            97.27083 B1
                                                                  0.00000
                      -22,12580 -14.03911
 840
        86 ARG
                NE
                                                                  0.00000
                                             96.53494 Bl
                      -21.93083 -14.68836
        86 ARG
                HE
 841
                                                                  0.00000
                                             98.38612 B1
                      -21.37502 -14.05016
 842
        86 ARG
                CZ
                                                                  0.00000
                                             98.44757 B1
                      -20.31371 -14.85617
        86 ARG
                NHI
 843
                                                                  0.00000
                                            99.26299 B1
                HH11 -19.73815 -14.87872
        86 ARG
 844
                                                                  0.00000
                HH12 -20.05194 -15.47498
NH2 -21.67517 -13.26636
                                             97.69021 Bl
 845
        86 ARG
                                                                  0.00000
                                           99.42563 Bl
                                                           4
        86 ARG
 845
                                                                  0.00000
                HH21 -21.13780 -13.26659 100.26897 B1
        86 ARG
 847
                                                                  0.00000
                HH22 -22.46145 -12.65025 - 99.36831 B1
                                                           4
        86 ARG
 848
                                                                  0.00000
                      -23.73522 -11.82065 93.57905 B1
        86 ARG
                C
 849
                                                                  0.00000
                                                           4
                                            93.17882 B1
                      -24.85200 -11.52883
        86 ARG
                0
 850
                                                                  0.00000
                                            93.27325 B1
                                                           5
                      -23,12190 -12.98532
        87 PRO
                N
 851
                                                                  0.00000
                                             93.54376 Bl
                      -21.73269 -13.34562
        87 PRO
 852
                CD
                                                                  0.00000
                      -23.84439 -14.02757
                                             92.53087 Bl
                                                           5
                CA
 853
        87 PRO
                                                                  0.00000
                                            92.39999 Bl
                                                           5
                      -22.78528 -15.13066
 854
        87 PRO
                CB
                                                                  0.00000
                                            92.52460 Bl
                                                          5
                      -21.4346C -14.43376
        87 PRO
                CG
 855
                                                                  0.00000
                                             93.21975 B1
                                                           5
                      -25.10390 -14.54496
        87 PRO
 856
                С
                                                                  0.00000
                                            94.41838 B1
                                                          S
                      -25.32441 -14.39544
        87 PRO
                0
 857
                                                                  0.00000
                      -25.94344 -15.17061 · 92.39123 B1
                                                           6
        88 ARG
 858
                N
                                                                  0.00000
                                            91.44433 B1
                                                           6
                      -25.68611 -15.35588
                H
 859
        88 ARG
                                                                  0.00000
                                            92.90235 Bl
                      -27.23219 -15.62675
        88 ARG
                CA
 860
                                                                  0.00000
                                            91.81653 Bl
                                                           6
                      -28.29078 -15.39805
        88 ARG
                C3
 861
                                                           6
                                                                  0.00000
                                            92.35844 B1
                      -29.70863 -15.55859
       88 ARG
                CG
 862
                                                                  0.00000
                                            91.49236 B1
                                                           6
                      -30.79150 -14.91787
       88 ARG
                CD
 B 63
                                                                  0.00000
                                            92.34607 B1
                      -31.92741 -14.57277
       88 ARG
                NE
 864
                                                                  0.00000
                     -31.76512 -14.64038
-33.08881 -14.12165
                                            93.33788 B1
                                                           6
        88 ARG
 865
                HE.
                                                                  0.00000
                                            91.86193 Bl
                                                           6
        88 ARG
                CZ
 B66
                                            92.71322 Bl
                                                                  0.00000
                      -34.06565 -13.81756
        88 ARG
                NHl
 867
                                                                  0.00000
                                                           6
                                            92.40144 Bl
                HH11 -34.95441 -13.48197
 868
        BB ARG
                                                                  0.00000
                                            93.69838 B1
                                                           6
                HH12 -33.91853 -13.92533
        88 ARG
 869
                                                                  0.00000
                                            90.54974 B1
                                                           6
                NH2 -33.26623 -13.97383
       88 ARG
 870
                                                                  0.00000
                                            90.16725 B1
                                                           6
                HH21 -34.12737 -13.64013
        88 ARG
 871
                                                           6
                                                                  0.00000
                HH22 -32.52080 -14.19859
                                            89.92214 81
        BB ARG
 872
                                                                  0.00000
                                            93.36366 B1
                                                           6
                      -27.23157 -17.07404
        BB ARG
                С
 B73
                                                           6
                                                                  0.00000
                                            92.63574 Bl
                      -26.89591 -18.00090
        88 ARG
                0
 R74
                                                                  0.00000
                                            94.62546 Bl
                                                          7
                     -27.62757 -17.24057
 875
        89 PHE
                N
                                                                  0.00000
                                                          7
                                            95.18173 Bl
                      -27.92346 -16.46797
        89 PHE
                н
 876
                                                                  0.00000
                                            95.17433 Bl
                                                           7
                      -27.64368 -18.59443
 877
        89 PHE
                CA
                                                                  0.00000
                                                          7
                                            96.25427 Bl
                      -26.56379 -18.74887
        89 PHE
                Ca
 878
                                                                  0.00000
                                            95.61829 Bl
                                                          7
                      -25.20774 -18.55805
 879
        89 PHE
                CG
                                                                  0.00000
                                            94.64858 B1
                                                          7
                     ~24.74915 -19.48139
        89 PHE
                CD1
 880
                                                                  0.00000
                                            95.96102 B1
                     -24.42840 -17.43023
 881
        89 PHE
                CD2
                                                                  0.00000
                                            94.00961 B1
                                                           7
                     -23.51045 -19.27079
        89 PHE
                CEI
 882
                                                                  0.00000
                                            95.32384 B1
                     -23.18767 -17.21976
 883
        89 PHE
                CE2
                                                                  0.00000
                                            94.34976 Bl
                                                          7
                      -22.73800 -18.13927
       89 PHE
                CZ
 884
                                                                  0.00000
                                                           7
                                            95.72084 B1
                     -28.99632 -18.97147
       89 PHE
                С
 885
                                                                  0.00000
                      -29.85551 -18.12429
                                            95.94786 Bl
        RO PHE
                ٥
 B B 6
                                                                  0.00000
                                            95.87791 81
                                                           8
                      -29.15750 -20.28822
        90 LEU
                N.
 887
                                                                  0.00000
                                            95.76376 Bi
                                                           8
                      -26.36720 -20.92114
        90 LEU
                H
 288
                                                                  0.00000
                                            96.14113 Bi
                                                          ρ.
                     -30.48975 -20.82226
        90 LEU
                CA
 889
                                                                  0.00000
                                           94.64981 B1
                                                           8
                     -31.01265 -21.46546
 890
       90 LEU
               C3
                                                                  C.00000
                                                          ε
                     -32.46079 -21.16892 · 94.43614 B1
        90 LEU
               CG
 691
                                                                  5.00000
                    -32.8113" -21.96230 93.19113 B1
               CD 1
        90 LEU
 992
```

./DR1_	MIN2.CRD		Thu Feb	25 14:58:	8 1993	3	15	
893	90 LEU	CD2	3.47498	3 -21.40699	95.55222	B1	8	0.00000
894	90 LEU	C		-21.90281	97.20252	Bl	8	0.00000
895	90 LEU	ō	-29.74216	-22.89200	97.07224	B1	8	0.00000
896	91 TRP	N	-31.28133	-21.71086	98.22982	Bl	9.	0.00000
897	91 TRP	ĸ	-31.78897			BI	9 9	0.00000
898	91 TRP	CA	-31.61477	-22.06043	99.06700	B1 BT	9	0.00000
899	91 TRP	CB	-31.76159	-22.50789	100.54418	B1	ģ	0.00000
900	91 TRP	CG	-30.46050	-22.11490 -22.71490	101.18157	Bl	9	0.00000
901	91 TRP	CD2		-21 96546	101.98847	B1	9	0.00000
902	91 TRP 91 TRP	CE2 CE3	-28.30074	-24.00327		B 1	9	0.00000
903 904	91 TRP	CD1	-30 26500	-20.96427	101.96112	Bl	9	0.00000
904	91 TRP	NEI	-28 99810	-20.87047	102.44030	B1	9	0.0000
906	91 TRP	HE1	-28.68566	-20.15616	103.04137	B1	9	0.0000
907	91 TRP	CZ2	-26.97767	-22.40520	102.16578	B1	9	0.00000
908	91 TRP	CZ3	-27.44054	-24.40402	100.81577	B1	9	0.00000
909	91 TRP	CH2	-26.56124	-23.61859	101.58828	B1	9	0.00000
910	' 91 TRP	С	-32.96765	-23.39534	98.70806	B.I	9 9	0.00000
911	91 TRP	0	-33.92486	-22.66026	98.49798 98.69197	83 51	10	0.00000
912	92 GLN			-24.71550 -25.28365		Bl	10	0.00000
913	92 GLN	H	-32.20362 -34.33516	•	98.65309		10	0.00000
914	92 GLN 92 GLN	CA CB		,-,26.04119			10	0.00000
915 916	92 GLN	CG	-34.432B7	-25.05724	96.13126		10	0.00000
917	92 GLN	CD	-34.12668	-25.79390	94.84833	Bl	10	0.0000
918	92 GLN	OE1	-32.99424	-25.88838			10	0.00000
919	92 GLN	NE2	-35.19268	-26.32196	94.25873		10	0.00000
920	92 GLN	HE21	-36.10617	-26.21874	94.65013	Bl	10	0.00000
921	92.GLN	HE22	-35.08609	-26.83019	93.40658	B1	10	0.00000
922	'92 GLN	С	-34.37000	-26.35610	99.77327	B1	10	0.00000
923	92 GLN	Ο.		-27.07419	100.00960	נס דם	10 11	0.00000
924	93 LEU	И.	-35.49484	-26.39205		B1	11	0.00000
925	93 LEU	H		-25.74963 -27.43909		91	11	0.00000
926	93 LEU	CV	-35.59559 -35.41178	-26 81504	102.88181	B1	11	0.00000
927 928	93 LEU 93 LEU	CB CG.	-34.83577	-27.70766	103.99848	ВЈ	11	0.00000
929	93 LEU	CD1	-34.33031	-26.83824	105.14843	Bl	11	0.00000
930	93 LEÚ	CD2	-35.82812	-28.74167	104.52805	Bl	11	0.00000
931	93 LEU	C			101.32695	B1	11	0.00000
932	93 LEU	0		-27.47571	100.96621		11 12	0.00000
933	94 EXS	N.	-36.95045	-29.41719		Bl Bl	12	0.00000
934	94 LYS	H		-29.89066	101,79736	B1	12	0.00000
935	94 LYS	CA	-38.21063	-30.14121 -30.88530	101.43214	Bl	12	0.00000
936	94 LYS	CB	-38.26049	-30.86330	100.07544		12	0.00000
937 938	94 LYS 94 LYS	CD CG	-39.91969	-32 44832	98.75113	61	12	0.00000
939	94 LYS	CE	-41.00198	-33.40442	99.23924	Bl	12	0.00000
940	94 LYS	NZ	-41.98389	-33.90963	98.26846		12	0.00000
942	94 LYS	#Z1	-42.69798	-34.41995	98.86351	B1	12	0.00000
942	94 LY6	HŻ2	-42.49249	-33.14263	97.78947	B1	12 12	0.00000
943	94 LYS	HZ3	-41.57162	-34.57937	97.59540	DJ BT	12	0.00000
944	94 LYS	C	-38.34910	-31.08699	102.67642	81 81	12	0.00000
945	94 LYS	0	-37.54720	-30 85636	102.85849 103.46609	B1	13	0.00000
946	95 PHE	N.	-39.4V6/6	-30.03343	103.34519	B1	13	0.00000
947 948	95 PHE 95 PHE	L> H	-37.33361	-31.84982	104.49053	B1	13	0.00000
948	95 PHE	CA CB	-39 13251	-31.49228	105.86481	21	13	0.00000
950 950	95 PHE	CG	-39.62104	-30.20819	106.49960	51	13	0.00000
951	95 PHE	CD1	-39 04517	-28.96886	106.12996	91	13	0.00000
952	95 PKE	CD2	-40 50668	-30.26479	107.51173	31	13	0.0000 0.0000
953	95 PHE	C£1	-30 45587	-27.78326	106.77985	31	13	0.00000
954	95 PKE	CE2	-41 01477	-29.08019	108.16313 1	* 1	13 13	0.00000
955	95 PHE	CZ	-40.43557	-27.84435	107.79605	- i	13	0.00000
956	95 PHE	С	-41.22005	-32.10/99	104.57423			

ַבּגּכּי.	_ಜಎ.೦ಚಿಎ		Ibu Feb	25 14:58:4	8 1993		16	
26.5	מני חווים	^	08591	-31.31332	104.41691	Bl	1,3	-04-00000
957 958	95 PHT 96 GLU	8	-,,,47812	-33.46734	104.75822	Bl	14	0.00000
9::9	28 CLU	н	-40.74093	-34.09871	105.01948	Bl	14	0.00000
960	96 GLU	CA	-42.80002	-33.99059	104.40078		14	0.00000
961	96 GLU	CB	-42.75085	-34.25375	102.88321		14 14	0.00000
962	96 GLU	CG	-43.92070	-34.87965	102.11791		14	0.00000
963	96 GLU	CD	-43.55505	-34.92496	99.84297		14	0.00000
964	96 GW	OEL	-44.08205	-34.15253 -35.68559	100.23154	B1	14	00000_0
965	96 GLU	OE2 C	-42 1 21 29	-35.25393	105.17925	BI	14	0.00000
966 967	96 GLÚ	0	-47 27510	-36.11395	105.37879	B1	14	0.00000
968	97 CYS	и	-44 30521	-35.34431	105.62501	B1	15	0.00000
969	97 CYS	н	-45 DS281	-34,60566	105.44200	D1	15	0.00000 0.00000
970	97 CYS	CA	-44.78990	-36.60747	106.25700	ĐΙ	15 15	0.00000
971	97 CYS	CB	-45.09404	-36.46870	107.76554	D.T	15	0.00000
972	97 CYS	SG	-46.49873	-35.54248		B)	15	0.00000
973	97 CYS	C	-45.89248	-37.36966 -36.80546	103.33700	Bl	îs	0.00000
974	97 CYS	٥	-46.75253	-38.69951	105.71784	Bl	16	0.00000
975	98 HIS	N	-45.8U350	-39.11332	106.26371	Bl	16	0.00000
976	98 · HIS	H	-46.75592	-39.59530	105.05785	81	16	0.00000
977 978	98 HIS 98 HIS	CA CB	-46 00867	-40.61029	104.19437	Bl	16	0.00000
979	98 HIS	CG	-45 38253	-39.98357	102.97364	BI	16	0.00000
980	98 HIS	ND1	_45 BA967	-40.13539	101.74183	BI	16	0.00000 0.00000
981	98 HIS	HD1	-46 72307	-40.60043	101.51181	BI	16 16	0.00000
982	98 HIS	CD2	-44.21286	~39.22166	102.89430	81	16	0.00000
983	90 HIS	NEZ	-44.02278	~38.92334	101.58753	ลา	16	0.00000
984	98 HIS	CE1		-39.48082	106.05217	81	16	0.00000
985	98 HIS	C	-47.56750	-40.99638	106.99225	Bl	16	0.00000
986	98 HIS	0	-48.87987	-40.39547	105.81218	51	17	0.00000
987	39 PHE	N	-49.25243		105.00666	Bl	17	0.00000
. 988 989	99 PHE 99 PHE	H CA	-49.78029	-41.01889	106.77662	Bl	17	0.00000
990	99 PHÉ	CB	50 48946	-39.93190	107.59234	81	17	0.00000
991	99 PHE	CG	-49.63868	-39.72312	108.81497	Bl	17	0.00000 0.00000
992	99 PHE	CDI	-48.50685	m38.87580	108.76543	Bl	17 17	0.00000
993	99 PHE	CD2	-49.92563	-40.47457	109.97439	B1	17	0.00000
994	99 PHE	CEl	-47.64103	-38.80002	111.08354	Bl	17	0.00000
995	99 PHE	CE2	-49.06252	-39.56658	111.02626	Bl	17	0.00000
996	99 PHE	CZ	-47.92137 -50.79242		106.19800	Bl	17	0.00000
997	99 PKE	Ë	-51.48007	-41.71068	105.22101	Bl	17	0.00000
998 999	99 PHE 100 PHE	N	-50.86837	-43.12653	106.85844	B1	18	0.00000
1000	100 PHE	·H	_50 37768	-43.27017	107.68944	Bl	18	0.00000
1001	100 PHE	CA	-51.84718	-44.10783	106.41132	BI	16 18	0.00000
1002	100 PHE	CB	_53 AAA68	-45.52210	106.84262	ВŢ	18	0.00000
1003	100 PHE	CG	-51.08740	-46.34931	105.63001	RI	18	0.00000
1004	100 PHE	CD1	-49.81159	-46.95065 -46.50158	103.55500	Bl	18	0.00000
1005	TOO BHE	CD2	-52.01269	-47.69723	104.41336	Bl	18	0.00000
1006	100 PHE	CE1	E1 65494	-47.24829	103.42/19	ÐΙ	18	0.00000
1007	100 PHS 100 PHS	CE2 CZ	_ E A 37408	-47.83859	103.35608	PT	18	0.00000
1008	100 PKE	C	-53.21727	-43.84401	106.969/2	87	18	0.00000
1010	100 PHE	ō	_53 38235	-43.49692	108.13319	ВT	18	0.00000 0.00000
1011	101 ASN	N	_E/ 10611	-44.08275	106.08672	31	19 19	0.00000
1012	101 ASN	H	53 07777	-44.28429	105.14300	ΦŢ	19	0.00000
1013	101 ASN	CA	-55.63451	-43.97453	105.37273	P.1	19	0.00000
1014	101 ASN	CB	-56.35400	-45.03359 -44.83624	105.52911	21	19	0.00000
1015	101 ASN	CG	-57.66040	-44.06601	104.77523	21	19	0.00000
1016	101 ASK	001	. 60 51777	-45.52184	206.41339	D 1	19	0.00000
1017	101 ASG	ND2 ND21	_ CO	-46.21753	101.02023	= 1	19	0.00000
1018	101 ASN 101 ASN	HD22	- 50 50666	-45.49785	106.46062	21	19	0.00000 0.00000
1019	101 ASK	C	-55.06277	-44.09262	107.83398	91	19	0.0000

WO 95/31997 PCT/US94/05697

_بدء/.	2ست	.CKD		Zhu	reb	25	14	: 58	48	19	93		17		
	101		_		73737	-4	13.3	2399	7	105	.3946	3 B1	1	9	0.00000
1021		ash Gly	0 %	- 25.	63460	- 4	15.	1894		108	4645	B1	2		0.00000
1022		GLY	н	-55.	00370	-4	15.1	3218	8 8	106	.0193	5 B1	20		0.00000
1024		GLY	CA.	-55.	97438	-4	5.3	3235		109.	.8815	7 Bl	20		0.00000
1025	102	GLY	С		02088				12	110	.8195	3 B1	20		0.00000
1026	102	GLY	0	-54.	4600B	-4		1786		111.	.73800 .54648	ום ע	2:		0.00000
1027	103	THR	N	-54.	84744		3.2	29/1		110.	.77435	5 B1	2		0.00000
1028	103	THR	H		35512		2 - 3	3954		10). 171	30363	B1	2:		0.00000
1029	103	THR	CA	-53.5	96519 75487					112.	5101	В1	2:		0.00000
1030	103	THR	CB		1340 <i>1</i> 22405		0	333		112.	87483	B1	2:	l	0.00000
1031	103	THR THR	OG1 HG1	-54.1					9	113.	49221	Bl	23		0.00000
1032	103	THR	CG2	-54.8	16925	-4	2.7	1243	3	113.	.73959	B1	2:		0.00000
1033	103	THR	C	-52.	56983	- 4	2.9	3238	6	111.	6695	B1	2:		0.00000
1035	103	THR	ō	-51.9	96086	-4	2.5	928		112.	68707	B1	21		0.00000
1036	104	GLU	N	-52.0	5837	4	3.7	1843	3	110.	78327	Bl	22 22		0.00000
1037	104	GLU	11	-52.5	0836	-4	3.5	402		109.	90068	ו מו	22		0.00000
1038	104	GLU	CA	-50.6	30234	-4	4.4	245		,,,,	05395	. B1	22		0.00000
1039	104	GLU	CB	-50.8 51.7	38647	- q	5.5	フェン	5	112.	41591	B1	22		0.00000
1040				-50.0	13365	-4	6.2	141	0	113.	43075	B1	22		0.00000
1041	104 104		CD OE1	-50.4				159		114.	57130	B1	22	2	0.0000
1042 1043	104		OE2	-488				314	8	113.	08359	Bl	22	2	0.00000
1043	104		C	-49.5				190	1	110.	45954	B1	22		0.00000
1045		GLŲ	Õ	-49.5		-4	3.4	019	6	109.	34894	Bl	22		0.00000
1046	105	ARĢ	ห	-48.4	6470	- 4	4.0	497	8 :	111.	19345	Bl	23		0.00000
1047	105	ARG	H	-48.4	6820			799		111.	97754	Bl	23		0.00000
1048	105	ARG	CA	-47.2	3862		3.3	657		110.	79677	Bl	23		0.00000
1049	105		CS	-46.4	3619	-4	3 . 1	495		112.	09184	B1	23		G.00000
1050	105	ARĢ	CG	-45.1		- 4	2.3	759		112.	05228	B1	23 23		0.00000
1051	105	ARG	CD	-43.8				201		111.	65081 89499	. D1	23		0.00000
1052	105	ARG	NE	-42.6				870		112 111.	83941	B1	23		0.00000
1053	105		KE	-42.3		4	1 7	591 768		110.	93892	B1	23		0.00000
1054	105		CZ	-42.0			1 . /	093		11.	25165	B1	23	3	0.00000
1055	105		ואא	-41.0 -40.5				913		110.	56874	Bl	23	3	0.00000
1056	105 105	ARG	##11 ##12	-40.7	3208	-4	0.9	274	7 :	112.	21979	Bl	23		0.00000
1057 1058	105		NH2	-42.4	7661	-4	1.8	271	8 :	109.	68286	Bl	23		0.00000
1059	105			-42.1	9810	-4	1.1	534	0 3		00310		23		0.00000
1060	105		RH22	-43.0	8503	-4	2.5	776		۱Óð.	38941	. Bl	23		0.00000
1061	•	ARĠ	Ċ	-46.4	7373	-4	4.1	388		109.	74376	Bl	23		0.00000
1062	105	ÄRĠ	0	-46.0	2105	-4	5.2	536		109.	97034 56827	81	24		0.00000
1063	106		N	-46.3		-4	3.5	151		108.	37187	B1	24		0.00000
1064	106		H	-46.7 -45.5	2693	-4	2.0	135		100.	58352	B1	24		0.00000
1065	106		CA	-45.5 -46.2	3359	-4	4.2 2 3	907	3 3	606.	24298	B 1	24	l .	0.00000
1066	106		CB.	-25 7	9579	-4	5.6	557	5 2	LUD.	22300	DI	24	,	0.00000
1067	106		CG1	-27 7	7990	-4	4.4	116	6 7	L05.	42922	B T	24		0.00000
1068 1069	106		C	-44 1	4065	-4	3.6	607	5 7	107	41554	BT	24		0.00000
1070	106		Õ	-43 3	0354	- 4	3.8	089	נג	LOB.	29690	DI	24		0.00000
1071	107		N	-43 B	7314	-4	2.9	805	9 1	LOĢ.	29410	ÐΙ	25		0.00000
1072	107		H	-44.5	8452	- 4	2.6	904	0 7	LQ5.	\$2017	DT	25		0.00000
1073	107		CA	-12 4	9561	÷4	2.5	311	5]	L05.	12329	BT	25		0.00000
1074	107		C3	-41.9	5685	-4	3.0	131	7 2	LQ4.	76032	21	25		0.00000
1075	107		CG	-41.9	6328	-4	2.0	261	9]	L03.	2002	D1	25		0.00000
1076		ARG	CĐ	-42.3	3357	-4	2.6	682	y] c •	.U∠.	2300J	E1	25		0.00000
1077	-		ЭИ	-43.7	6838	-4	2.5	727) 1	102.	28284	Bi	25		0.00000
1078		ARG	HE	-44.3 -41.2	/946	-4	2.l	768	0 1	02	20945	81	25		0.0000
1079	107		CZ	/ C 5	6592	- 4	4 3	274	7]	102.	35905	- 2	25	;	0.0000
1080	107	ARG	RE1 HE11	- 16 0	2628	- 4	5.1	920	7 3	102.	34562	81	2.5		0.00000
1081	107 107	arg arg	HH12	/ 6 1	0530	- 4	3.5	573	נס	102.	. 340-2		25		0.00000
1082 1093	107	ARG	11:12	- 43 4	7093	- 4	5 2	369	5 1	LUZ.	03/33	5.	25		0.00000
1084	107		8821	-43.8	6541	- 4	٤.:	589	6 3	102.	05452	21	2 :	-	0.00000

_ئددر.	KD12.CPD		באמ זפש	25 14:58:4	8 1993		19	
			2 49404	~45.11997	101.94496	ві	25	0.00000
1085	107 ARG	HH22	> 37787	-41.03546	106.32504	Bl	25	0.00000
1086	107 ARG 157 ARG	0	-43 36896	-40.31981	106.43645	BI	25	0.00000
1007	108 LEU	א	-41 12633	-40.58502	106.39627	87	26	0.00000
1088 1089	108 LEU	н	- 40 32617	-41.17985	106.29320	Bl	26	0.00000
1090	108 LEU	Cλ	-40 89942	-39.15744	106.53751	B1	26	0.00000
1091	108 LEU	CB	-AD RDD87	-38.80954	108.01248	Bl	26	0.00000
1092	108 LEU	CG	-41 96347	-37.89689	108.35874	BT	26	0.00000 0.00000
1093	108 LEU	CD1	-42 75820	-38.44729	109.53808	Вï	26	0.00000
1094	108 LEU	CD2	-41.50070	-36.44650	108.50151	BT	26 26	0.00000
1095	108 LEU	С	-39.62061	-38.77273	105.85/64	D.1	26	0.00000
1096	108 LEU	0	-38.76368	-39.61093	105.00134	B 2	27	0.00000
1097	109 LEU	И	-39.52150	-37.47828 -36.84167	105.30773	B1	27	0.00000
1098	109 LEU	H	-40.28459	-30.84107	104 90334	Bl	27	0.00000
1099	109 LEU	CA	-38.30683	-37.24039	103.39009	Bl	27	0.0000
1100	109 LEU	CB	-38.4/418	-36.59695	102.82634	Bl	27	0.00000
1101	109 LEU	CG	-30 62230	-95.25631	102,17066	ВT	27	0.00000
1102	109 LEU 109 LEU	CD1 CD2	-40 40190	-37.56523	101.91138	ВT	27	0.00000
1103	109 LEU	CD2	-37 00969	-35.58061	105.21268	ВŢ	27	0.00000
1104 1105	109 LEU	Õ	-38 88471	-34.77322	105.4/943	BT	27	0.00000
1106	110 GLU	N	-36 70092	-35.29768	105.12126	D.T.	20	0.00000
1107	110 GLU	31	-36 01498	36.01786	105.00992	Βī	28	0.00000 0.00000
1106	110 GLU	CN	-36 20315	-33,92985	105.08184	p r	28	0.00000
1109	110 GLU	CB	_35 80977	-33,47627	106.49578	ВI	28 28	0.00000
1110	110 GLU	CĠ	_75 37716	-32.02210	706.60333	ÐΙ	28	0.00000
1111	110 GLU	CD	-33.83808	-31.87178	106.30413	B1	28	0.00000
1112	110 GLU	OE1	-33.37957	-30.74951	106.10527	ום	28	0.00000
1113	110 GLU	OE2	-33.09671	-32.85201	106.36491	21	28	0.00000
1114	110 GLU	C	-35.01026	-33.94076	104.13500	B1	28	0.00000
1125	110 GLU	0	-34.25577	-34.90807	104.11303	BÎ	29	0.00000
1116	111 ARG	Й	-34.89439	-32.86843 -32.16766	103 37387	Bl	29	0.00000
1117	111 ARG	H	-35.61365	-32.74903	102.46249	B1	29	0.00000
1116	111 ARG	CA	-33.13643	-33.60407	101.20352	B T	29	0.00000
1119	111 ARG	CB	-35.45106	-33.70037	100.75305	B1	29	0.0000
1120	111 ARG 111 ARG	CG CD	-35.67880	-34.83036	99.75174	Bl	29	0.00000
1121 1122	111 ARG	NE	-37.09124	-35.21147	99.72614	Bl	29	0.00000
1123	111 ARG	HE	-37.71860	-34.61357	100.22757	Bl	29	0.00000 0.00000
1124	111 ARG	CZ	-37.50098	-36.32384	99.09789	BI	29 29	0.00000
1125	111 ARG	NH1	-38.78116	-36.68971	99.16119	D 1	29	0.00000
1126	111 ARG	KK11	-39.12269	-37.49888	98.68276	P1	29	0.00000
1127	111 ARG	HH12	-39.43712	-36.16699	99.70940 98.41518	21	29	0.0000
1128	111 ARG	'NH2	-36.63391	-37.06893	97.94325	81	29	0.00000
1129	111 ARG	KH21	-36.91501	-37.90348	.98.36264	Ħ1	29	0.00000
1130	111 ARG		-35.67503	-36.78688	102 08170	Bl	29	0.00000
1131	111 ARG	С	-33.49135	-31.31194	101.76699	B1.	29	0.00000
1132	111 ARG	0	-34.39395	-30.54569 -30.97057	102.12414	Bl	30	0.00000
1133	112 CYS	И	-32.20568	-31.64380	102.37455	Bl	30	0.00000
1134	112 CYS	H.	_21 90468	-29.62360	101.73826	D T	30	0.00000
1135	112 CYS 112 CYS	CA CB	-21 12R74	-28.92365	102.91930		30	0.00000
1136	112 CYS	SG	-30.70297	-27.19555	102.3/09/	# T	30	0.00000
1137 1138	112 CYS	c	-30.87388	-29.64998	100.54300	DΥ	30	0.0000
1138	112 CYS	Õ	-29.97769	-30.48052	100.40405	B1	30	0.00000 0.00000
1140	113 ILS	Ŋ	-31.15975	-28.70696	99.65078	81	31 31	0.00000
1141	113 ILE	н	-31.84293	-28.00116	99.86111	, מ דם	31	0.00000
1142	113 ILE	CA.	-30.55306	-28,70228	98.32464	ב בם	31	0.00000
1143	113 ILE	C3	-31.56021	-29.33526	97.82323	B1	31	0.00000
1144	113 ILE	CG2	-33.00339	-25,37434	95.89635	21	31	0.00000
1145	113 ILE	CG1	-31.52431	-28.74189	94.93272	B1	31	0.00000
1146	113 ILE	CD	-32.44047 -30.08576	-23.30023	97.96536	B 1	31	0.00000
1147	113 ILE	C	-30.75333	-26 29900	98.21317	B1	31	0.00000
1148	-113 ILE	C	-30.73333	27.27.				

. WO 95/31997 PCT/US94/05697

./281	_ಸಹಚ. ಆವ	,	The Fob	25 14:58:	48 1993	19	
1149	114 7YR		28.8701	0 -27.2556	4 97.41665 B1	32	0.00000
1150	114 TYR			-28.1015		32	0.00000
1151	114 TYR			6 -25.9826	4 97.11462 Bl	32	0.00000
1152	114 TYR		-26.80081	8 -26.0193	3 97.71345 Bl	32	0.00000
1153	114 TYR			7 -24.7210		32	0.00000
1154	114 TYR	CD1		-23.4582		32	0.00000
1155	114 TYR			-22.2808		32	0.00000
1156	114 TYR			-24.8021		32 32	0.00000
1157	114 TYR			-23.6265		32	0.00000
1158	114 TYR			-22.36940		32	0.00000
1159	114 TYR			-21.21917	_	32	0.00000
1160	114 TYR 114 TYR	нн С		-21.43015 -25.83215		32	0.00000
1161 1162	114 TYR	Ö	-20.14723	-26.70965		32	0.00000
1163	115 ASN	N	-28.66823	-24.69995	95.12919 B1	33	0.00000
1164	115 ASN	H	-29.03092	-24.02391	95.77643 B1	33	0.00000
1165	115 ASN	CA	-28.63762	-24.41545	93.68566 Bl	33	0.00000
1166	115 ASN	CB	-27.27049	-23.84385	93.27078 Bl	33	0.00000
1167	115 ASN	CG	-27.08239	-22.43118	93.78440 B1	33	0.00000
1168					94.85370 Bl	33 33	0.00000
1169	115 ASN	ND2		-21.48359		33	0.00000
1170	115 ASN		-28.04883			33	0.00000
1171	115 ASN		-2729503	-25.59300		33	0.00000
1172	115 ASN 115 ASN	С 0		-25.91402		33	0.00000
1173 1174	115 ASN	й	-30 10691	-26.23583	93.07767 Bl	34	0.00000
1175	116 GIN	н	-30 66790	-25.92614		34	0.00000
1176	116 GLN	CA	-30.60575	-27.38897	92.31212 Bl	34	0.00000
1177	116 GLN	СВ	-30.73906	-26.98635	90.82631 B1	34	0.00000
1178	116 GLN	CG.	-31.33401	-27.96419	89.80983 Bl	34	0.00000
1179	116 GLN	CD		-27.31473		34	0.00000
1180	116 GLN	OEl	-32.32002	-27.33002	87.70605 B1	34 34	0.00000
1181	116 GTW	NE2	-30.20428	-26.71450	88.08185 B1 88.67007 B1	34	0.00000
1182	116 GLN	HE21	-29.39553 -30.15594	-26.71330	87.20205 B1	34	0.00000
1183	116 GIN	HE22	-30.13394	-28.73663	92.53043 B1	. 34	0.00000
1184 1185	116 GLN	0		-29.77893	92.10767 B1	34	0.00000
1186	117 GLU	N	-28.76921	-28.72803	93.24838 B1	35	0.00000
1187	117 GLU	H		-27.88576	93.59525 Bl	35	0.00000
1188	117 GLU	CA	-28.17324	-30.02538	93.58636 B1	35	0.00000
1189	117 GLU	CB	-26.68237		93.23572 Bl	35	0.00000 0.00000
1190	117 GLU	CG	-26.41125		91.75724 B1	35 35	0.00000
1191	117 GLU	CD	-24.93459	-29.87167	91.43636 B1 90.37359 B1	35	0.00000
1192	117 GLU	OE1	-24.62388 -24.09945	-30.40776	92.24135 B1	35	0.00000
1193 1194	117 GLU	OE2 C	-28.34342	-30.39133	95.05360 B1	35	0.00000
1195	117 GLU	0 . '	-28.39032	-29.54087	95.93593 Bl	35	0.00000
1196	118 GLU	N	-28.45418	-31.70267	95.31151 B1	36	0.00000
1197	ijä Gro	H	-28.37884	-32.37663	94.57856 B1	36	0.00000
·1198	118 GLU	CA	-28.64640	-32.12718	96.70504 1	36	0.00000 0.00000
1199	118 GTÚ	CB	-28.86529		96.80220 91 96.04454 B1	36 36	0.0000
1200	118 GLU	CG	-30.04821		96.04454 B1 96.39969 B1	36	0.00000
1201	118 GLU	CD	-30.18685	-35./3834	96.62004 B1	36	0.00000
1202	118 GPU	OE1	-31.31366 -29.17775	-36 2245A	96.46236 B1	36	0.00000
1203 1204	118 GLU	OE2	-27.45968	-31.79603	97.59954 Bl	36	0.00000
1205	118 GLU	0	-26.30375	-31.93771	97.22004 B1	36	0.00000
1205	110 G50	ห .	-27.77719	-31.35385	98.81671 B1	37	0.00000
1207	119 SER	E	-28.73032	-31.22468	99.10568 51	37	0.00000
1208	119 SER	CA	-26.67523	-31.09310	99.74333 Bl	37	0.00000
1209	119 SER	CB	-26 79679	-29.64425	100.25438 B1	37	0.00000
1210	119 SER	os	-25.62406	-29.23340	100.96654 B1	37 37	0.00000
1211	119 SER		-25.73940	-28.33730	101.30354 51	37	0.00000
1212	119 SER	С	-20.64967	-32.10859	300.87899 B1		•

./DRI	KIK2.CRD		zbo lep	25 14:58:4	8 1993		20	
_			15 775.68	-32,90554	101 03211	81	37	00000.0
1213	119 SER 120 VAL	0	25.72300	-32.06808	101.67561	81	38	0.00000
1214	120 VAL	H	-28.50026	-31.45938	101.48344	B1	38	0.0000
1215 1216	120 VAL	Č٨	-27.82678	-32,99802	102.80099	Bl	38	. 0.00000
1217	120 VAL	СВ	27.44790	-32.32244	104.13888	BJ	38	0.00000
1218	120 VAL	CG1	-25.93252	-32,18078	104.29388	Bl	38	0.00000
1219	120 VAL	CG2	-28.15631	-30.97900	104.33500	Bl	38 38	0.00000
1220	120 VAL	С	-29.23777	-33.53625	102.89372	ם דמ	38	0.00000
1221	120 VAL	0	-30.19812	-32.88656	102.49/11	R1	39	0.00000
1222	121 ARG	N	-29.34164	-34.75356 -35.27675	103.4234	Bl	39	0.00000
1223	121 ARG	H	-28.52525	-35.37282	103.69447	Bl	39	0.00000
1224	121 ARG	CA	-30.63941	-36.26556	102.25451	Bl	39	0.00000
1225	121 ARG	CB	-30.83879	-36.83907	102.13977	Bl	39	0.00000
1226	121 ARG 121 ARG	CG CD	-32.24031 -32.3644R	-38.11228	101.31436	Bl	39	0.00000
1227 1228	121 ARG	NE	-33 46636	-38.89614	101.86282	PY	39	0.00000
1229	121 ARG	HE	-33 58314	-38.82444	102.86363	BI	39	0.0000
1230	121 ARG	CZ	-34 21779	-39,71705	101.13259	ЪT	39	0.00000
1231	121 ARG	MINT	-35 18R42	-40.40193	101.73316	BI	39	0.00000
1232	121 -ARG	HH11	-35.77971	-41.03741	101.23780	B1	39 39	0.00000
1233	121 ARG	HH12	-35.33365	-40.28453	102.71808	PI	39	0.00000
1234	121 ARG	NH2	-33.99786	-39.84536	99.82444 99.25675	B)	39	0.00000
1235	121 ARG	HH21	-34.530,79	-40.47140	99.39731	Bl	39	0.00000
1236	121 ARG		-33.27054	-36.21013	104.75602	Bl	39	0.00000
1237	121 ARG	C	-20 BES15	-36.82872	105.23483	ъr	39	0.00000
1238	121 ARG 122 PHE	о И	-37 04075	-36.24095	105.26404	BI	40	0.00000
1239 1240	122 PHE	н	-32 75061	-35.63810	Trien. Pul	21	40	0.00000
1241	122 PHE	CA	-32 40668	-37.26064	106.24/69	ъı	40	0.00000
1242	122 PHE	СВ	±33 75724	-36.87165	106.85296	Вī	40 .	0.00000
1243	122 PHS	CG	-33 64992	-36.46831	108.30418	BI	40 40	0.00000
1244	122 PHE	CDI	-32.56100	-35.69712	108.77664	20.7	40	0.00000
1245	122 PHE	CD2	-34.66985	-36.87929	109.19094	21	40	0.00000
1246	122 PHE	CEl	-32.49275	-35.34303	110.14033	B1	40	0.00000
1247	122 PKE	CEZ	-34,60187	-36.52254 -35.75823	111 02379	BI	40	0.00000
1248	122 PHE	CZ	-33.51285	-38.62424	105.60697	Bl	40	0.00000
1249	122 PHE	C	-34.3/047	-38.79208	104.65587	B1	40	0.00000
1250	122 PHE 123 ASP	N O	-21 06201	-19.60796	106.15369	D 1	41	0.00000
1251 1252	123 ASP 123 ASP	н	_21 23184	-39.47015	106.92548	D 1	41	0.00000
1253	123 ASP	CA	_37 OR552	-40.93522	105.56623	D 7	41	0.00000 0.00000
1254	123 ASP	СВ	-30 85171	-41.81726	105.76445	.	41 41	0.00000
1255	123 ASP	CG	-29.93161	-41.56041	104.59405	B1	41	0.00000
1256	123 ASP	OD1	-28.81173	-41.11310	109.61/2/	B1	41	0.00000
1257	123 ASP	OD2	-30.34905	-41.80191 -41.63618	106.09965	BI	41	0.00000
1258	123 ASP	C	-33.32362	-41.03010	107.02319	Bl	41	0.00000
1259	123 ASP	0	-32 62443	-42.74250	105,41429	B1	42	0.00000
1260	124 SER 124 SER	и Н	_32 95329	-43.10971	104.75900	B1	42	0.00000
1261 1262	124 SER 124 SER	CA CA	-34 94425	-43.35498	102.28880	DI	42	0.00000
1263	124 SER	CB	_25 18779	-44.37028	104.46149	81	42	0.00000
1264	124 SER	OG	-26 57945	-44 70775	104.3/0/1	ÐΙ	42	0.00000
1265	124 SER	HG	3 C 01089	-44 87590	105.2/413	ĐΙ	42 42	0.00000
1266	124 SER	С	-35 21640	-44.01057	106.93634	D 7	42	0.00000
1267	124 SER	٥	_36 33538	~44.4ZZZ3	101.22342		43	0.00000
1268	125 ASP	N	-34,16447	-44.10325 -43.73425	107.50494	Bl	43	0.00000
1269	125 ASP	H	-33.26228	-44.60689	109.10471	B 1	43	0.00000
1270	125 ASP	CA	_ 32 06210	-45.24580	109.30620	D 7	43	0.00000
1271	125 ASP	CB	_21 02155	-44.23245	109.55//9	Ε÷	43	0.0000
1272 1273	125 ASP 125 ASP	ODI CC	21 00104	-43.19553	108.89073		43	0.00000
1275	125 ASP 125 ASP	OD2	20 07240	-44 45676	110.29015	E :	43	0.00000
1275	125 ASP	C	24 66574	-43.52244	110.10420	= :	43	0.00000
1276	125 ASP	Ö	-35.10540	-43.78441	111.22872	21	43	0.0000
	-							

./DR1	KIK2.CPD		בשנ זעם	25 14:58:4	8 1993		21	
	- -			-42.26751	100 64790	в1	44	o.00000
1277	126 VAL	и	51615	-42.2308	108.70456	B1	44	0.00000
1278	126 VAL 126 VAL	С.Л.	-34.59346	-41.07914	110.50496	Bl	4 4	0.00000
1239 1280	126 VAL	CB	-36 04814	-40.82462	110.97592	Bl	44	0.00000
1281	126 VAL	CG1	-35 22164	-39,41758	111.54094	Bl	44	0.00000
1282	126 VAL	CG2	-37.04494	-41.00281	109.82481	Bl	44 44	0.00000
1283	126 VAL	С	-33.57625	-41.13739	111.64961	P.T	44	0.00000
1284	126 VAL	0	-33.78819	-40.75401	112.79535	191	45	0.00000
1285	127 GLY	N	-32.41541	-41.66443	110 31755	B1	45	0.00000
1286	127 GLY	H	-32,31598	-42.01122 -41.88201	112 19529	Bl	45	0.00000
1287	127 GLY	CX	-31.32244	-41.56889	111.62542	B1	45	0.00000
1288	127 GLY	C	_20 03055	-41.21776	112.35962	Bl	45	0.00000
1289	127 GLY 128 GLU	0	_20 81143	-41.65704	110.29545	ĐΙ	46	0.00000
1290 1291	128 GLU	н	-30.48653	-42.13586	109.72334	D 3	46	0.00000 0.00000
1292	128 GLU	CA	-28 56256	~41.14297	109.73120	PI	46 46	0.00000
1293	128 GLU	CB	-27.75197	-42.29481	109.11709	a) DT	46	0.00000
1294	128 GLU	CG	-26.29316	-42.25781	109.59600	Bl	46	0.00000
1295	128 GLU	CD	-25.44181	-43.28422 -42.88073	108.19992	B1	46	0.00000
1296			-24.49646	-44.41773	109.00348	Bl	46	0.00000
1297	128 GLU	OE2	-25.71010	-39.98012	108.75031	Bl	46	0.00000
1290	128 GLU	C	-28.71370	-39.57375		Bl	46	0.00000
1299	128 GLU	0	27.60.00	-39.42619		Bl	47	0.00000
1300	129 TYR	N	-21.54755	-39.83420	108.68820	B1	47	0.00000
1301	129 TYR	H	_27 50019	-38.29454	107.46434	ÐΥ	47	0.00000
1302	129 TYR 129 TYR	CA. CB	-26.63842	-37.15326	108.01560	Bl	47	0.00000
1303 1304	129 TYR	CG	-27.30857	-36.34222	109.09443	ÐΙ	47	0.00000
1305	129 TYR	CDl	-26.67181	-36.21958	110.34811	Bl	47	0.00000 0.00000
1306	129 TYR	CEI	-27.25566	-35.42131	111.35148	B1	47 47	0.00000
1307	129 TYR	CD2	-28.52827	-35.67832	108.83210	BI	47	0.00000
1308	129 TYR	CE2	-29.11235	-34.88063	109.83571	BI	47	0.00000
1309	129 TYR	CZ	-28.47327	-34.75726		Bl	47	0.00000
1310	129 TYR	OH	-29.05005	-33.98459 -33.40059		B1	47	0.00000
1311	129 TYR	нн	-29.70394	-38.64384	106.15941	Bl	47	0.00000
1312	129 TYR	C	-25.66697	-39.04407	106.10492	Bl	47	0.00000
1313	129 TYR 130 ARG	N O	-27.55686	-38.38162	105.08581	ВJ	48	0.00000
1314 1315	130 ARG	н		-38.10451	105.16735	Bl	48	0.00000
1316	130 ARG	CA	-26.67326	-38.41254	103.80227	Bl	48	0.00000
1317	130 ARG	CB	-27.85650	-38.84699	102.71647	Bl	48	0.00000
1318	130 ARG	CG	-27.21143	-39.00526	101.34112	BI	48 48	0.00000
1319	130 ARG	CD	-28.23975	-39.41974	100.29808	BI	48	0.00000
1320	130 ARG	.NE	-27.66322	-39.38333	98.82833	BI	48	0.00000
1321	130 ARG	HE	-26.82589	-38.85034	97.93202	Bl	48	0.00000
1322	130 ARG	CZ	-28.29935	-39.96348 -39.81313	96.69917	Bl	48	0.00000
1323	130 ARG	NHI	-28,26738	-40.23513	,95.90996	Bl	48	0.00000
1324	130 ARG 130 ARG	2217	-27.01064	-39.25297	96.53955	Bl	48	0.00000
1325 1326	130 ARG	NH2	-29.39843	-40.68730	98.14392	Bl	48	0.00000
1327	130 ARG	HH21	-29.90446	-41.10492	97.39118	Bl	48	0.00000 0.00000
1328	130 ARG	HH22	-29.72741	-40.81930	99.07957	Bl	48	0.00000
1329	130 ARG	С	-26.28084	-37.06053	103.45986	Bl P'	48 48	0.0000
1330	130 ARG	0	-26.96293	-36.11772	103.07688 103.58668	D1	49	0.0000
1331	131 ALA	N	-24.95816	-36.99899		B1	49	0.0000
1332	131 ALA	H	-24.45069	-37.77908	103.93192	Bl	49	0.00000
1333	131 ALA	CA	-24.28607	-35.84894	103.80801	Бì	49	0.00000
1334	131 ALA	CB	-23.0613/	-35.44271 -36.20633	101.58658	81	49	0.0000
1335	131 ALA	C	-23.03004 -23.17897	-37.20532	101.36065	B 1	49	0.00000
1336	131 ALA 132 VAL	0 N	24 20405	-35.38774	100.63154	Вl	50	0.00000
:337 :338	132 VAL	15	-24.78984	-34.54695	100.85567	вı	50	0.00000
1339	132 VAL	CA	-24.05930	-35.79619	99.24132	D 1	50	0.00000
1340	132 VAL	CB	-25.12578	-35.11200	98.36560	Вì	50	J, 15500

./DR1_	MIK2.CPD		ton Lep	25 14:58:4	8 1993		22	
• –		4	5 02505	-35.45687	96.87606	в1	30	ഫ.ഈത്ത
1341	132 VAL	CG1 CG2	6.51048	-35.48853	98.89777	B1	50	0.00000
1342 1343	132 VAL 132 VAL	C	-22.64446	-35.53393	98.73419	Bl	50	0.00000
1344	132 VAL	õ	-22.12598	-36.19257	97.84114	B1	50	0.00000
1345	133 THR	N	-22.01646	-34.53567	99.35299	B1	51	0.00000 0.00000
1346	133 THR	H	-22.44036	-34.04272	100.11190	B1	51 51	0.00000
1347	133 THR	CY	-20.68297	-34.13851	98.91128	81	51	0.00000
1348	133 THR	CB	-20.84979	-33.09962	97.76600 97.34397	Bl	51	0.00000
1349	133 THR	OG1	-19.58519	-32.56706	96.50551	BI	51	0.00000
1350	133 THR	HG1	-19.69018	-32.10136 -31.96947	98.12788	81	51	0.00000
1351	133 THR	CG2	-21.81/30	-33.59750	100.10846	B1	51	0.00000
1352	133 THR 133 THR	C	-20 ARE97	-33.30952	101'12881	ВI	51	0.00000
1353 1354	133 TAK	Ŋ	-18.60119	-33.44216	99.91793	Bl	52	0.00000
1355	134 GLU	н	-18 20352	-33.65725	99.02398	Bl	52	0.00000
1356	134 GLU	CA	-12.75238	-32.88738	100.97647	Bl	52 53	0.00000
1357	134 GLU	CB	-16 30452	-32.81284	100,49482	RI	52 52	0.00000
1358	134 GLU	CG	-15.76229	-34.17073	99.60488	BJ DI	52	0.00000
2359	134 GLU	CD	-14.31377	-34.04410	99.60400	B1	52	0.00000
1360		OE1	13.54341	-34.96158 -33.03519	98.99487	B1	52	0.00000
1361	134 GLU	OE2	-13.96021	-31.51310	101.45728	81	52	0.00000
1362	134 GLU	C	-17 07884	-31.11916	102.59352	Bl	52	0.00000
1363	134 GLU 135 LEU	0 N	-18.87611	-30.80674	100.55812	D I	53	0.00000
1364 1365	135 LEU	В.	-18.92762	-31,13340	99,61398	Bl	53	0.00000
1366	135 LEU	CA	-19.55727	-29.57029	100.94931	Bl	53	0.00000
1367	135 LEÚ	CB	-20.29914	-29.06218	99,70959	.B1	53	0.00000
1368	135 LEU	CG	-20.12211	-27.57937	99.30843	B1	53 53	0.00000
1369	135 LEÚ	CD1			100.32666	B.T	53	0.00000
1370	135 LEU	CD2		-27.23870	99.36436	81	53	0.00000
1371	135 LEU	C		-29.72915 -28.93514	103.04463	B1	53	0.00000
1372	135 LEV	٥.	-20 60025	-30.82221	102.02891	21	54	0.00000
1373	136 GLY	N :		-31.49656	101.30480	Bl	54	0.00000
1374	136 GLY	H. Ca	-22.25373	-31.10000	103.08935	Bl	54	0.00000
1375 1376	136 GLY	C	-21.66227	-31 RS099	104.26834	Bl	54	0.00000
1377	136 GLY	ő	-22.17280	-31.82013	105.38053	Bl	54	0.00000
1378	137 ARG	N	-20.54192	-32.53644	104.01306	BI	55 55	0.00000
1379	137 ARG	H	-20,17033	-32.57514	103.08296	D1	55	0.00000
1380	137 ARG	CA	-19.94165	-33.32437	104.58318	Bl	55	0.00000
1381	137 ARG	CB	-18.67070	-34.02762	105.55025	BI	55	0.00000
1382	137 ARG	CG	-18.13008	-35.07893 -36.15719	105.85371	B 1	55	0.00000
1383	137 ARG	.	-19.10000	-37.06640	106.87657	Bl	55	0.00000
1384 1385	137 ARG	NE. He	_17 93007	-36,71980	107.47204	Bl	55	0.00000
1386	137 ARG	CZ	-19 21896	-38-26612	107.07086	Bl	55	0.00000
1387	137 ARG	11111	-18 67934	-39.07643	10/.9/409	DI	55	0.00000
1388	137 ARG	101773	_10 03069	-39.99255	108.14/49	DТ	55	0.00000
1389	137 ARG	HH12		-38.75541	100.49972	D 7	55 55	0.00000
1390	137 ÅRG	377.7	2A 2GAR5	~38.643by	100.31211		55	0.00000
1391	137 ARG	HH21	-20,72192	-39.53705	105.70437	Bl	55	0.00000
1392	137 ARG		-20.68879	-38.01490 -32.65026	106.46929	Bl	55	0.00000
1393	137 ARG	С,	-19.70330	-33.13638	107.44172	Bl	55	0.00000
1394	137 ARG 138 PRO	N	-19 03095	-31.51331	The . 20511	בנם	56	0.00000
1395 1396	138 PRO	CD	-18.26903	-30.78028	103.33404	DI	56	0.00000
1397	138 PRO	CA	-10 92500	-30.86885	10/.0/033	DI	56 66	0.00000 0.00000
1398	138 PRO	СВ	-18 00966	-29.66775	107.61418	27	56 56	0.00000
1399	138 PRO	CG	-17 22921	-30.01427	106.33368	21	56 56	0.00000
1400	138 PRO	С	_20 24853	-30 39451	108.45452	2.1	56	0.00000
1401	138 PRO	O	-20.38873	-30.20105	107.00243	33	57	0.00000
1402	139 AS2	N	-21.22822	-30.19487	106.60795	31	57	0.00000
1403	139 ASP	H	-21.12955	-30.45258 -29.76374	108.02635	31	57	0.00000
1404	139 ASP	CA	-22.5445	-29.76374				

/521	KIRI CRO		במי דמי	25 14:58:4	8 1993		23	
./	A12 - CA					u 1	57·	-D-1000000
1405	139 ASP	CB	3.29481	-29.22794	106.80729	93	57	0.00000
1406	139 ASP	CG	-24.50680	-28.44150	107.23406	93	57	0.00000
1,07	139 ASP	OD1	-24.33925	-27.25955	107.53698	27	57	0.00000
1408	139 ASP	OD2	-25.59590	-29.00937	107.24891	D.	57	0.00000
1409	139 ASP	С	23.29009	-30.90651	108.70646	BI	57	0.00000
1410	139 ASP	0	-23.84428	-30.79944	109.79628	BI		0.00000
1411	140 ALA	N	-23,18867	-32.06950	108.04975	BI	58	0.00000
1412	140 ALA	H	-22.77745	-32.09325	107.13514	BI	58	0.00000
1413	140 ALA	CA	-23.64141	-33.29863	108.70194		58	0.00000
1414	140 ALA	CB	-23.39932	-34.51285		Bl	58	0.00000
1415	140 ALA	c	-22.96994	-33.52591	110.04660	Bl	58	0.00000
1416	140 ALA	õ	-23.61501	-33.62460	111.08086	Bl	58	0.00000
	141 GLU	N	-21.63141	-33.53710	110.01537	Bl	59	
1417	141 GLU	н	-21.14260	-33.44422	109.14251	Bl	59	0.00000
1418	141 GLU	CA	-20.88131	-33.73045	111.26272	Bl	59	0.00000
1419	141 GLU	СВ	-19.38545	-33.75474	110.92637	Bl	59	0.00000
1420	141. CTA	CG	-19.08157	-34.92155	109.97183	Bl	59	0.00000
1421	141 GLU	CD	-17.65605	-34.91070	109.44677	B1	59	0.00000
1422	141 GLU	051	-17 21662	-35.95752	108.96182	Bl	59	0.00000
1423	141 GLU	021	-16.99658	-33 E7375	-109.50288	Bl	59	0.00000
1424	141 GLU	C	-21.20315	-32.72395	117.20020	D.1	59	0.00000
1425	141 GLU	Õ	-23 35204	-33.05368	113.53869	Bl	59	0.00000
1426	142 TYR	N	-21 39109	31.47026	.111.93865	B1	60	0.00000
1427 1428	142 TYR	н	-21 16858	-31,22939	110.99159	B 1	60	0.00000
	142 TYR	CA	-21 91640	-30.42572	112.82625	Bl	60	0.00000
1429	142 TYR	CB	-22.17510		111.95478	Bl	60	0.00000
1430	142 TYR	CG	-22 15441	-27.86866	112.68902	Bl	60	0.00000
1431		CD1	-20 91930	-27.21121	112.88286	Bl	60	0.00000
1432	142 TYR 142 TYR	CEI	-20.89216		113.49633	B1	60	0.00000
1433	142 TYR	CD2	-23.36373	-27.27306	113.11310	Bl	€0	0.00000
1434	142 TYR	CE2	-23 33600	-26.00211	113.72688	Bl	60	0.00000
1435	142 TYR	CZ	-22.10013	-25.34007	113.91274	B1	60	0.00000
1436 1437	142 TYR	OH	-22,06472	-24.08718	114.49226	Bl	60	0.00000 0.00000
	142 TYR	нн	-22.95958	-23.75980	114.62492	B1	60	0.00000
1438 1439	142 TYR	C	-23.20365	-30.84932	113.52485	B1	60	
	142 TYR	0	-23 33185	-30.86335	114.74427	Bl	60	0.00000
1440 1441	143 TRR	N	-24.16819	-31-24530	112.69102	Bl	61	0.00000
1442	143 TRP	H	-24.01203	-31.27353	111.69669	Bl	61	0.00000
1443	143 TRR	CA	-25.46084	-31.65772	113.24427	Bl	61	0.00000
1444	143 TRP	CB	-26.46502	+31.82534	112.10045	Bl	61	0.00000
1445	143 TRP	CG	-26.82927	-30.51319	111.43167	Bl	61	0.00000
1446	143 TRP	CD2	-27.59514	-30.35383	110.26190	Bl	61	0.00000
1447	143 TRP	CE2	-27.68725	-28.88192	110.01923	B1	61	0.0000
144B	143 TRP.	CE3	-28-23171	-31.24445	109.37526	Bl	61 61	0.00000
1449	143 TRP	CD1	-26 40/04	_29 2040B	111.84528	B.7	61	0.00000
1450	143 TRP	NE1	_26 00373	-28.24161	111.01939	BI	61	0.00000
1451	143 TRP	HEL	_26 86335	-27.27405	111.09/30	D T	61	0.00000
1452	143 TRP	CZ2	_20 41151	-28.41903	108.90295	B 1	61	0.00000
1453	143 TRP	CZ3	-28,94655	-30.73482	108.27096	DТ	61	0.00000
1454	143 TRP	CH2	-29.03488	-29.34388	108.03833	D^{\perp}	61	0.00000
1455	143 TRP	C·	-25 40824	-32,93379	114.07770	BI		0.00000
1456	143 TRP	Ο.	-26.13451	-33.11650	115.04995	Bl	61 63	0.00000
1457	144 ABN	N	-24,46546	-33.80055	113.69230	D 7	62	0.00000
1458	144 ASN	H	-23,94027	-33.62305	112.85783	21	62 62	0.00000
1459	144 ASN	CA	-24.16067	-34.99080	114.49069	81		0.00000
1460	144 ASN	CB	-23.20850	-35.93308	113.73882	P.7	62 62	0.00000
1451	144 ASN	CG	-23.89541	-36.68861	112.61740	P.I	62 63	0.00000
1462	144 ASN	OD1	-23 68155	-36.47075	111.43371	Bl	62 62	0.00000
1463	144 A5N		24 22276	-37 64097	113.02353	Β., Ω.T	62	0.00000
1464	144 ASN	PD21	-24.89338	-37.61926	113.99276	D.T	62	0.00000
1465	144 ASN	HD22	25 10504	_39 20406	112.3773		62	0.00000
1466	144 ASN	С	22 / 0075	_36 6949/	115.84534	ы 1 ы 1	62	0.00000
1 4 5 7	144 ASN	0	22 42007	_35 54656	110.077-7	-	63	0.00000
1468	145 SER	1:	-22.99604	-33.46640	115.7/507		0.5	

	و در		شه د دعت	25 34:55:4	בצב ס	2:	
	•		22 07830	-37.80428	115.21961 B	1 69 4.11	.00000.0.
1469	145 SER	H.	22.37000	-33 14621	117.25865 B	63	0.00000
1470	145 SER	CA	22,30004	-32 73054	117.01176 B	63	0.00000
3473	145 SER	CB	-20,91941	-32 64180	118.24511 B	63	0.00000
1472	145 SER	OG	-20,18305	~32.22535	118.91065 B	63	0.00000
1473	145 SER	HG	-20.76033	-32 07614	118.06161 B	63	0.00000
1474	145 SER	С	-23.11027	-31 68287	119.13941 B	63	0.00000
1475	145 SER	0	-22.67401	-31.00207	117.51252 B	64	0.00000
1476	146 GLN	N	-24.22180	21 04604	116.64774 B	64	0.00000
1477	146 GLN	H	-24.58118	20 40305	118.19522 B	64	0.00000
2478	146 GLN	CA	-24.90025	20.45200	117.23892 B	64	0.00000
1479	146 GLN	CB	-24.86315	-29.29301	117.23002 B	64	0.00000
1480	146 GLN	CG	-25.45855	-27.96945	117.72882 B	64	0.00000
1481	146 GLN	CD	-25.89096	~27.81402	117.25234 B1 118.00911 B1	64	0.00000
1482	146 GLN	OE1	-27.80837	-27.55003	115.94329 B	64	0.00000
1483	146 GLN	NE2	-27.06556	20 20340	115.33276 B	64	0.00000
1484	146 GLN	HE21	-26.30809	-20.20373	115.56134 B	64	0.00000
1485	146 GLN		~27.98200	-20 03694	118.57642 B	64	0.00000
1486	146 GLN	C	-26.23466	-30.91839	117.77294 B	64	0.00000
1487	146 GLN	0	-21.21043	-30.32035	119.82371 B	65	0.00000
1488	147LYS		26.30347	~31 20699	120.47663 B	. 65	0.00000
1489	147 LYS	H	22.63247	-32 46614	120.21964 B	65	0.00000
1490	147 LYS	CA	20 27258	-32 00851	121.37895 B	65	0.00000
1491	147 LYS	CB	20.2/236	-33 02726	121.84203 B	65	0.00000
1492	147 LYS	CG	29.34710	-24 49172	121.97244 B	€5	0.00000
1493	147 LYS	CD	-20.00011	-35 46785	121.47444 B	65	0.00000
1494	147 LYS	CE	-29.90010	-36 R1034	121.26907 B	65	0.00000
1495	147 LYS	NZ	-29.40221	-37 47223	120.71767 B	65	0.00000
1496	147 LYS	H21	-30.04888	-37.72223	120.68922 B	65	0.00000
1497	147 LYS	HZ2	-28.53282	-30.70330	122.15073 B	65	0.00000
1498	147 LYS	нzэ	-29.15199	22 12600	119.09340 B	65	0.00000
1499	147 LYS	С	-28,12445	-32.90174	118.83683 B	65	0.00000
1500	147 LYS	0	-29.30233		118.45822 B	. 66	0.00000
1501	148 ASP	N	-27.34620	-34 14495	118.75300 B	. 66	0.00000
1502	148 ASP	H	-20.39/4/	-35 00236	117.48362 B	. 66	0.0000
1503	148 ASP	CA	22 00027	-36.37833	118'T.003 by		0.00000
1504	148 ASP	CB	26 70528	-36.57930	119.21303 03		0.00000
1505	148 ASR	CG	25 50280	-36.06325	119.03133 6		0.00000
1506	148 ASP	OD1 OD2	-27 07650	-37.20742	120.23324 0		0.00000
1507	148 ASP	C.	_20 00887	-34 63043	116./9043 0		0.00000
1508	148 ASR 148 ASP	ئ ن	_20 17136	-35.14808	317.04931 64	. 66	0.00000
1509	145 ASF	14	_ 20 02300	-33.61840	115.93941 0	. •	0.00000
1510	149 LEU	H	_27 00065	-33.30949	115./3440 6		0.00000 0.00000
1511 1512	149 LEU	·CA	-30 07076	-32.84836	115.45000 0		
	149 LEU	Ç5	-20 45309	-31.74267	114.5/300 5/		0.00000
1513	149 LEU	CG	20 20432	-30.58223	114.024/3 5	. • ,	0.00000
1514 1515	149 LEU	CD1	30 R \$ R 20	-30.92475	112.65290 83	. 01	0.00000 0.00000
1516	149 LEU	CD2	21 34761	-30.09615	115.02072 57		0.00000
1517	149 LEU	ç	- 21 17567	-73 69413	114.80932 54		0.00000
1518	149 LEU	Õ	22 36472	-33 37859	114.8380/ 5	. ••	0.00000
1519	150 LEU	N	20 73118	-34.86138	114,32303 03		0.00000
1520	150 LEU	H	2575	-34 94139	114.11021 0-		0.00000
1521	150 LEU	CA	21 60787	-36.02822	114.12030 5	. ••	0.00000
1522	150 LEÚ	CB	20 74740	-37.29857	114.13200 PA		0.00000
1523	150 LEU	CG	20 00363	-37.44772	112.03303 0		0.00000
1524	150 LEU	CD1	. 20 64060	-38.26626	113.10130 8		0.00000
1525	150 LEU	CD2	. 20 71709	-38.01712	111.12212 01		0.00000
1526	150 LEU	c	22 24073	-36.17247	112.10103 6	. 0.	0.00000
1527	150 LEU	ō	22 00001	-36.01901	114.70330 54		0.00000
1528	151 GLU	15	22 42443	-36 63576	116.39423 0		0.00000
1529	151 GLU	н	21 620/2	_36 57284	110./2147 0		0.00000
1530	151 GLU	CA	77 (1706	-36 59512	111.30330 0.	• • •	0.00000
1531	151 GLU	CB	22 30/02	-35 00311	110.143-0		0.00000
1532	151 GLU	ÇĞ	-32.69081	-36,41906	118,86324 \$3	· • ·	

./254_	KINZ .CRD		Thu Fab	25 14:58:4	8 1993	25	
				-38.44464	110 70497	E1 69	0.00000
. 1533	151 GLU	CD	-31.19287	-38.33129	117.58148		
1329	151 GLU 151 GLU	OE1 OE2	-30.71520	-38.56462	119.72459	B1 69	
1535 1536	151 GLU	C	-34.55067	-35,41168	117.43857	B1 69	
1537	151 GLU	0	-35.75790	-35.57313	117.58647	81 69	
1538	152 GLN	N	-33.98601	-34.19780	117.35586	B1 70	0.00000
1539	152 GLN	н	-33,00321	-34.10256	117.18602	Bl 70 Bl 70	0.00000 0.00000
1540	152 GLN	Cλ	-34.89656		117.40695	B1 70	0.00000
1541	152 GLN	CB	-34.15680		118.60094	B1 70	0.00000
1542	152 GLN	CG	-33.46159	-31.26900 -29.77424	118.49387	B1 70	0.00000
1543	152 GLN	CD	-33.233/0 -33.13068	-29.27019	118.36008	B1 70	
1544	152 GLN 152 GLN	OE1 NE2	-34 34656	-29.04682	118.54711	B1 /0	0.00000
1545	152 GLN	HE21	-35.24607	-29.46511	118.65663	B1 /0	
1546 1547	152 GLN	HE22	-34 281 RR	-28.05358	118.46911	DI 10	0.00000
1549	152 GLN	С	-35.89575	-33.04746	116.27182	B1 70	0.00000 0.00000
1549	152 GLN	0	-37 09756	-32.85841	116.4360/	BT 10	0.00000
1550	153 ARG	N	-35.34435	-33.30759	115.08552	B1 71 B1 71	0.00000
1551	153 ARG	H	-34.35839	-33.48709	114.99299	B1 71	0.00000
1552	153-ARG	· CA · ·	-36.25853	-33:42129	113,95947		0.00000
1553	153 ARG	CB	-35.46322	-33.43707	112.00304	D1	0.00000
1554	153 ARG	CG	-34.84280	-32.07791	112.33037		0.0000
1555	153 ARG	CD	-33.88499	-32.22570 -30.95306	210 55166	B1 71	0.0000
1556	153 ARG	NE	-33.53171	-30.09360	110 98860		0.00000
1557	153 ARG	HE	-33.78636	-31.01372	109.31716	B1 71	0.00000
1558	153 APG	CZ; NH1	-33.014/3	-29.92906		B1 71	0.00000
1559 1560	153 ARG 153 ARG	HHII	~32.31313	-30.04802	107.55422	B1 71	0.00000
1561	153 ARG	HH12	-33.14801	-29.01024	108.90136	B1 71	0.00000
1562	153 ARG	พห2	-32.57787	-32.17691	108.83735	B1 71	0.00000
1563	153 ARG	KH21	-32.40269	-32.29042	107.84355	B1 71	0.00000
1564	153 ARG	HH22	-32.45571	-32.97359	109.42307	B1 71 B1 71	0.00000
1565	153 ARG	С	-37.16363	-34.62908	114.06926	B1 71	0.00000
1566	153 ARG	0	-38.37029	-34.50228	113.96948		0.00000
1567	154 ARG	N	-36.57082	-35.79410		B1 72	0.00000
1568	154 ARG	H	-35.57655	-35.83805 -37.02834	114.59374		0.00000
1569	154 ARG	CA	-37.32441	-38.11823	115.12926	B1 72	0.00000
1570	154 ARG	CB ,	-35.30361	-39.48786	115.22908	B1 72	0.00000
1571	154 ARG 154 ARG	CG.	-36 14056	-40.61269	115.69023	B1 /2	0.00000
1572 1573	154 ARG	NE	-36 90866	-41.85162	115.80184	BT 15	0.00000
1574	154 ARG	HE	-37 50676	-42.01330	115.09038	B1 72	0.00000
1575	154 ARG	CZ	-36 70093	-42.71372	116.80504	Bl 72 Bl 72	
1576	154 ARG	NH1	-37 45795	-43.80593	116.88687	D1 12	0.00000
1577	154 ARG	HH11	-37.33416	-44.47837	117.61587		0.00000
1578	154 ARG		-38.17495	-43.96809	110.20/20		0.00000
2579	154 ARG	NK2	-35.75363	-42.48325	118 48012	B1 72	
1580	154 ARG	HHZI	-35.59042	-43.10493 -41.66590	117.63709	B1 72	0.00000
1581	154 ARG		-35.18100	-36.88141	115.51516	B1 72	0.00000
1582	154 ARG	C	-30.52465	-37.43301	115.28503	D1 12	0.00000
2583	154 ARG 155 ARG	О И .	-38 35223	-36.06670	116.55474	Dr 12	0.00000
1584 1585	155 ARG	н .	_37 44332	-35.69920	116.//04/	D1 , 2	
1586	155 ARG	Cy 	-30 52250	-35.72569	117.36371	B1 73	0.00000
1587	155 ARG	CB :	_30 05476	-34.79593	118.48265	בי גם	
1588	155 ARG	CG	-40.15723	~34.36970	119.44775	81 12	
1589	155 ARG	CD	-39.62900	-33.36327	120.46128	51 '~	
1590	155 ARG	RE	-40.71623	-32.83780	121.28237		
1591	155 ARG	HE	-41.63763	-33.18145	121.09517		
2592	155 ARG	C2	-49,47069	-31.92135			0.00000
1593	155 ARG	NH1	-41.48382			31 73	0.00000
1594	155 ARG	HHII	-41.33888	-30.75247 -31.75018	122.77039	B1 73	0.0000
1595	155 ARG		-42.41010	-31.49669	122.45394	B1 77	0.00000
1596	155 ARG	1:::2					

```
Thu Fem 45 14:58:48 1993
حجن د در المسلم - در در
                       30.49694 -40.88455 114.11092 B1
                                                          80
                                                                 0.00000
1661 162 ARC
                ME
                                                          80
                                                                 0.00000
                      49.34267 -42.40507 114.80601 B1
1662
      162 ARG
                CZ
                NH1 -50.23020 -43.32564 114.46730 B1
                                                          80
                                                                 0.00000
      162 ARG
                HHI1 -50.11979 -44.31403 114.66150 B1
                                                          80
                                                                 0.00000
1664 162 ARG
                HH12 -51.06184 -43.06285 113.96028 B1
                                                         8 O
                                                                 0.00000
1665
      162 ARG
                                                         80
                                                                 0.00000
                HH2 -48.19839 -42.76163 115.38323 B1
1666
      162 ARG
                HH21 -48.00134 -43.72771 115.55650 B1
                                                         80
                                                                 0.00000
1667
      162 ARG
                                                                 0.00000
                HH22 -47.52579 -42.06788 115.64161 B1
                                                         80
      162 ARG
1668
                     -49.75512 -35.92906 113.42487 B1
                                                                 0.00000
      162 ARG
1669
                                                         80
                                                                 0.00000
                     -50.82093 -35.93732 112.81658 B1
      162 ARG
                .0
1670
                                                                 0.00000
                     -49.58593 -35.31862 114.60088 B1
                                                         81
      163 HIS
                N
1671
                                                                 0.00000
                     -48.68252 -35.28035 115.03933 B1
                                                         81
1672
      163 HIS
                н
                                                                0.00000
                     -50.76431 -34.73357 115.23467 B1
                                                         81
      163 HIS
                CA
1673
                                                                0.00000
                     -50.42874 -34.29045 116.66134 B1
                                                         81
                CB
1674
      163 HIS
                                                         81
                                                                 0.00000
                     -50.41026 -35.50649 117.55950 Bl
      163 HIS
                CG
1675
                                                                0.00000
                     -51.51644 -36.01842 118.12240 B1
                                                         81
      163 HIS
                ND1
1676
                     -52.42830 -35.67431 118.03242 B1
-49.31404 -36.28837 117.93420 B1
                                                         81
                                                                 0.00000
1677 163 HIS
                HD1
                                                                 0.00000
                                                         81
1678 . 163 HIS
                CD2
                                                                 0.00000
                                                         81
                     -49.78030 -37.28089 118.73130 B1
1679
      163 HIS
                NE2
      163-HIG- CE1-4-51.13423 -37-11585-118-84798 B1
                                                         81
                                                                0.00000
1680
                                                                0.00000
                     -51.37160 -33.59588 114.44466 B1
                                                         81
1681
      163 HIS
                C
                                                                 0.00000
                     -52.56947 -33.55956 114.18659 B1
                                                         81
      163 HIS
                0
1682
                                                         82
                                                                 0.00000
                     -50.50246 -32.67616 114.01202 B1
                N
1683
      164 ASN
                                                                0.00000
                     -49.51981 -32.74462 114.21247 B1
                                                         82
      164 ASN
1684
                н
                                                                 0.00000
                     -51.04300 -31.58239 113.20331 B1
                                                         82
      164 ASN
                CA
1685
                     -49.96583 -30.54361 112.89196 B1
                                                                 0.00000
                                                         82
1686
      164 ASN
                CB
                     -49.91907 -29.53869 114.02377 B1
                                                                 0.00000
                                                         82
                CG.
1687
      164 ASN
                                                                0.00000
                                                         82
                OD1. -49.13948 -29.62233 114.96163 B1
1688
      164 ASN
                                                        82
                                                                0.00000
                ND2 -50.80473 -28.55321 113.91309 B1
1689
      164 ASN
                                                                0.00000
                HD21 -51.44321 -28.49843 113.14586 B1
                                                        82
1690
      164 ASN
                                                       82
                                                                0.00000
               HD22 -50.84210, -27.84178 114.61251 B1
1691
      164 ASN
                                                       82
                                                                 0.00000
                     -51.70674 -32.02333 111.91584 B1
1692
      164 ASN
                C
                                                                0.00000
                     -52.73418 -31.48682 111.51085 B1
                                                         82
1693
      164 ASN
                O
                                                                 0.00000
                     -51.12326 -33.05626 111.29191 Bl
                                                         83
2694
      165 TYR
               N
                                                                0.00000
                                                         83
                     -50.28201 -33.49370 lll.62194 Bl
1695
      165 TYR
               н
                                                       83
                                                                 0.00000
                     -51.81304 -33.54191 110.10401 B1
               CA
1696
      165 TYR
                                                                0.00000
                     -50.92781 -34.47239 109.25048 B1
                                                         83
1697
      165
          TYR
                ED
                     -51.39689 -34.50284 107.80317 B1
                                                                0.00000
                                                         83
1698
      165 TYR
                CG
                     -52.18946 -33.44669 107.29137 B1
                                                        83
                                                                0.00000
                CD1
1699
      165 TYR
                                                                0.00000
                                                         83
                     -52.63312 -33.47413 105.96126 B1
1700
      165
          TYR
                CEI
                                                                 0.00000
                     -51.04289 -35.58963 106.96903 B1
                                                         83
      165 TYR
                CD2
1701
                                                                0.00000
                                                         83
                     -51.48846 -35.61522 105.62740 Bl
                CE2
1702
      165 TYR
                                                       83
                                                                 0.00000
                     -52.28557 -34.55457 105.13440 Bl
               CZ
      165 TYR
1703
                                                                 0.00000
                     -52.75931 -34.53152 103.64155 B1
                                                         83
          TYR · OH
1704
      165
                                                        83
                                                                 0.00000
                     -52.13515 -34.97162 103.24416 Bl
      165 TYR
               HH
1705
                                                                0.00000
                     -53.16114 -34.17050 110.39688 B1
                                                        83
1706
      165 TYR
               С
                                                       83
                                                                0.00000
                     -54.17243 -33.75040 109.85354 81
      165 TYR
               0
1707
                                                       8 4
                                                                0.00000
                     -53.16827 -35.13255 111.32677 B1
1708
      166 GLY
               N
                                                                0.00000
                     -52.30920 -35.44284 111.74443 B1
                                                        64
1709
      166 GLY
               Н
                                                                0.00000
                     -54.44388 -35.75931 111.69489 B1
                                                        84
               CA
1710
      166 GLY
                                                                0.00000
                     -55.55421 -34.78683 112.08191 B1
                                                         84
               С
1711
      166 GLY
                                                       84
                                                                0.00000
                     -56.70058 -34.86763 111.64884 B1
               O
1712
      166 GLY
                                                                0.00000
                     -55.16433 -33.81049 112.90998 B1
                                                         85
1713
      167 VAL
               N
                                                                0.00000
                     -54.21931 -33.77699 113.25020 B1
                                                        85
      167 VAL
1714
               н
                                                                0.00000
                     -56.14083 -32.77588 113.26808 Bl
1715
      167 VAL
               CA
                                                        85
                                                                0.00000
                     -55.54422 -31.87200 114.36486 B1
      167 VAL
1716
               CB
                                                                0.00000
                     -56.46931 -30.71890 114.75691 B1
      167 VAL
               CG1
1717
                                                                0.00000
                                                         85
                     -55.22649 -32.70528 115.60849 B1
1718
      167 VAL
               CG2
                                                                0.00000
                     -56.62003 -31.96437 112.06515 Bl
                                                         85
      167 VAL
               C
1719
                                                                0.00000
                                                         23
                     -57.80658 -31.70971 ill.87365 Bl
1720
      167 VAL
               ٥
                                                                0.00000
                     -55.65605 -31.61592 111.20320 61
                                                         86
      168 GLY
               N
1721
                                                         86
                                                                0.00000
                     -54.68827 -31.81924 111.38382 B1
      168 GLY
               н
1722
                     -56.04215 -30.96490 109.94972 Bi
                                                                0.00000
                                                        86
      158 GLY
               CA
723
                                                               0.00000
                     -57.02338 -31.77629 109.11607 B1
                                                        8.6
               С
1724
     158 GLY
```

نہ در	ಜನಿಸ್ವ ೧೯೦		Thu feb	15 14:58:48	1993	2	: 6	
			50 03640	-31.28044	108 61617	81	86	0.00000
1725	168 GLY	0	58.02649	-31.28044	109.01615	Bl	87	0.00000
1726	169 GLU	И	56.71137	-33.43085	109.43169	Bl	87	0.00000
1717) 69 GLU	H	-57 59179	-34.00467	108.30469	Bl.	87	0.00000
1728	169 GLU	CA	-56 95070	-35.39155	108.28846	B1	87	0.00000
1729	169 GLU	CB CG	-55 67851	-35.40281	107.43481	Bl	87	0.00000
1730	169 GLU	CD	_54 91259	-36,69049	107.65905	Bl	87	0.00000
1731 1732	169 GLU	OE1	-53 74095	-36.61342	108.02205	Bl	87	0.00000
1733	169 GLU	OE2	-55 4R540	-37.76250	107.47736	BT	87	0.00000
1734	169 GLU	c	-59 00151	-34.05273	108.86565	BI	87	0.00000
1735	169 GLU	ŏ	SO 08966	-34.06690	108.14126	BI	87	0.00000
1736	170 SER	N	-59.06996	-33.99305	110.19884	81	88 88	0.00000
1737	170 SER	н	-50.23138	-34.05998	110.74831	DI DI	88	0.00000
1738	170 SER	CA	-60.38255	-33.85094	110.83371	Bi	88	0.00000
1739	170 SER	CB	-60.18950	-33.85581 -34.13237	113 03659	B1	88	0.00000
1740	170 SER	OG	-61.42043	-34.13237	113.98374	Bl	88	0.00000
1741	170 SER	нG	-61.30677	-32.61665	110.37646	Bl	88	0.00000
1742	170 SER 170 SER	C	-62 31497	-32.69150	109.96191	BI	88	0.00000
1743 1744	171 SER	N	-60.49231	-31.45621	110.41676	PT	89	0.00000
1745	171 PHE	н	-59.54601	-31.41832	110.75393	BI	89	0.00000
1746	171 PHE	CA	-61.19539	-30.24631	109.95663	RT	89	0.00000
1747	171 PHE	CB	-60.30793	-28.99941	110.10880	HT.	89	0.00000
1748	171 PHE	CG	-59.94208	-28.68147	111.54294	BI	89	0.00000
1749	171 PHE	CD1	-58.59291	-28.39703	111.85413	B1	89 89	0.00000
1750	171 PHE	CD2	-60.93098	-28.63398	112.55491	B1	89	0.00000
1751	171 PHÉ	CEl	-58.23032	-28.06074	113.1/656	D.T	89	0.00000
1752	171 PHE	CE2	-60.56845	-28.29967	113.87858	81 1	89	0.00000
1753	171 PHÉ	CZ	-59.21901	-28.01319 -30.29139	108 49502	Bl	89	0.00000
1754	171 PHE	c	-61.62802	-30.29139	108.07691	Bl	89	0.00000
1755	171 PHĘ	٥.	-62.6869/	-30.85206	107.69903	Bl	90	0.00000
1756	172 THR	И, Н	_50 01792	-31.29854	108.09636	ÐΙ	90	0.00000
1757 1758	172 THR 172 THR	CA	AUERU US	-30.66246	106.23333	D.	90	0.00000
1759	172 THR	CB	60 21710	-30.70747	105.70163	DI	90	0.00000
1760	172 THŔ	OG1	CO 35797	-30.21143	104.3620/	D.T.	90	0.00000
1761	172 THR	HG1	_ < 0 15430	-30.48800	103.89203	ÐΙ	90 90	0.00000
1762	172 THR	CG2	-58.90262	-32.13906	105.74825	Вī	90	0.00000
2763	172 THR	Ç	-61.71208	-31.64877	105.47987	21	90	0.00000
1764	172 THR	0	-61.76078	-31.56505	104.23107	81	91	0.00000
1765	173 VAL	N	-62.32957	-32.60764	107.19363	Bl	91	0.00000
1766	173 VAL	H	-62.28706		105.53718	Bl	91	0.00000
1767	173 VAL	CA	-62.87984	-34.51911		Bl	91	0.00000
1768	173 VAL 173 VAL	CB	-63.87907	-35.77324	105.85034	B1	91	0.0000
1769	173 VAL	CG1 CG2	-63 20452	-34.90248	107.79466	B:	91	0.00000
1770 1771	173 VAL	C	-63 51710	-33.59419	104.16/10	91	91	0.00000
1772	173 VAL	Ö	-63.18750	-34.24452	103.18126	Bï	91	0.00000
1773	174 GLN	N	-64 41211	-32.59570	104.14711	₽ĭ	92	0.00000
1774	174 GLN	H	-64.59818	-32.11269	105.00138	Bl	92 92	0.00000
1775	174 GLN	CA	_£5 74373	-32.19104	102.94243	D1	92	0.00000
1776	174 GLN	CB	-65.76132	-30.80951	103.22574	בם מ	92	0.00000
1777	174 GLN	CG	-66.77986	-30.26016	101.04012	B1	92	0.00000
1778	174 GLN	CD	-66.09397	-24.58024	101.04012	Bl	92	0.00000
1779	174 GLN	OE1	-65.45924 -66.26402	-20.54065	99.87453	Bl	92	0.00000
1780	174 GLN	NE2		-31.11966	99.82928	B1	92	0.00000
1781	174 GLN	HE21	-65.97833	-29.74839	59.02730	Bl	92	0.00000
1782	174 GLN 174 GLN		-64.36067	-32.18074	101.63553	87	92	0.00000
1783 1784	174 GLN	С О	-64.88582	-32.51356	100.57991	Bl	92	0.00000
1785	174 GER	N N	-63.09233	-31.77447	101.73327	Bl	93	0.00000
1786	175 ARG	H	-62.69754	-31.53564	102.62225	B1	93 93	0.00000
1787	175 ARG	CA.	60 21207	-21 78835	100.50018	21 21	è 3	0.00000
1788	175 ARG	CB	-61.85817	-30.36631	100.19330	- 2-		

				05 34 50 4	0 1002	29	
_באנוי.	XIN2.CRD		Thu Feb	25 14:58:4	8 1233	-	
1789	175 ARG	CG	-61-24395	-30.26914	98.77310	Bl 93	0.00000
1790	175 ARG	CD	-60.91597	-28.04209	98.34709	B1 93	0.00000
1791	175 ARG	NE	-59 98117	-28.87216	97.22615	B1 93	0.00000
1792	175 ARG	3H	-59.59146	-29.76910	97.00518	B1 93	0.00000
1792	175 ARG	CZ	-59.49795		96.68186	B1 93	0.00000
	175 ARG	NHI	-58.57343	-27.83579	95.72833	B1 93	0.00000
1794 1795	175 ARG	HH11	-58.19414	-27.02728	95.28229	B1 93	0.00000
1796	175 ARG	HH12	-58,22480	-28.73459	95.46034	B1 93	0.00000
1797	175 ARG	NH2	-59.92427	-26.55682	97.09593	B1 93	0.00000
1798	175 ARG	HH21	-59.57028	-25.70796	96.70808	B1 93	0.00000
1799	175 ARG	HH22	-60,60311	-26.50975	97.82696	B1 93 B1 93	0.00000
1800	175 ARG	Ċ	-61.17336	-32.79150	100.46150		0.00000
1891	175 ARG	0	-61.02327	-33.52738	99.49809		0.00000
1802	176 ARG	N	-60.36493	-32.85103	101.53216	B1 94	0.00000
1803	176 ARG	H	~60.53761	-32.31340	102.35642		0.00000
1804	176 ARG	CA	-59.25084	-33.80802	101.41499		0.00000
1805	176 ARG	CB	-58.18750	-33.62483	102.49829		0.00000
1806	176 ARG	CG	-57.32871	-32.37173	102.34974		0.00000
1807	176 ARG	CD	-56.27515	-32.28237	103.45854		0.00000
1808	176 ARG	NE		-30.94018	104.04511	-	0.00000
1609	176 ARG	HE	-56.83150	-30.25818	105.19759		0.00000
1810	176 ARG	CZ	-55.69078	-30.63659	105.64628		0.00000
1811	176 ARG	NHI	-55.74431	,-29.38340	106.50132		0.00000
1812	175 ARG	HH11		-29.10955	105.12278		0.00000
1813	176 ARG	HH12	=56.24088	-28.69008	105.89297		0.0000
1814	176 ARG	NH2		-31.57276 -31.37726	106.75753	B1 94	0.00000
1815	176 ARG	HH21		-32.51329	105.54660		0.00000
1816	176 ARG		-55.02183 -59.64686	-35.27348	101.42902		0.0000
1817	176 ARG	Ċ		-36.15316	101.06767		0.00000
1818	176 ARG	0		-35.53390	101.85272	B1 95	0.00000
1819	177 VAL	и Н	-61.51901	-34.82991	102.18430	B1 95	0.00000
1820	177 VAL	CA	-61.32863	-36.91608	101.70299	B1 95	0.00000
1621 1822	177 VAL	CB ·	-61.79519	-37.47193	103.06780	B1 95	0.00000
1823	177 VAL	CGI	-61.84123	-39.00335	103.05589	B1 95	0.00000
1824	177 VAL	CG2	-60.88761	-37.00753	104.21299	B1 95	0.00000
1825	177 VAL	C		-37.02458	100.63553		0.00000
1826	177 VAL	ő	-63.44404	-37.67295	100.79118		0.00000
1827	178 HIS	N	-62,14889	-36.33028	99.52296		0.00000 0.00000
1828	178 HIS	н	-61.32158	-35.77698	99.39184		0.00000
1829	178 HIS	CA	-63.09845	-36.32813	98.41659	B1 96	0.00000
1830	178 HIS	CB	-64.01495	-35.10064	98.57314	B1 96 B1 96	0.00000
1831	178 HIS	CG		-35.21481	97.74669		0.00000
1832		-NDI	-65.30573	-35.62002	96.46944	- : .	0.00000
1833	178 HIS	HDl		-35.91855	95.96816		0.00000
1834	178 HIS	CD2		-34.92566	98.14872 97.08780		0.00000
2035	178 HIS	NE2	-67.39749	-35.16505	96.05191		0.00000
1836	178 HIS	CE1	-66.60728	~35.59364	97.09131		0.00000
1837	178 HIS	С	-62.34621	-36.29235		B1 96	0.00000
1038	178 HIS	OCTI	-61.22615	-35.78756	96.08759		0.00000
1839	178 XIS	OCTZ	-62.87363	-36.77415	,		





FIG. 31

Inhibition of 125 I HA (306-318)/DRI by unlabeled CSG of and B peptides



*HA/DR1 compact dimer signal (densitometric units)

INTERNATIONAL SEARCH REPORT

International application No. PCT/US94/05697

A. CLASSIFICATION OF SUBJECT MATTER			
IPC(5) :A61K 39/00, 39/02, 39/12, 37/02, 35/14 US CL :424/185.1, 186.1, 190.1, 242.1; 530/327, 326, 333, 334, 388.75			
According to International Patent Classification (IPC) or to both national classification and IPC			
B. FIELDS SEARCHED			
Minimum documentation searched (classification system follow	• •		
U.S. : 424/185.1, 186.1, 190.1, 242.1; 530/327, 326, 333, 334, 388.75			
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched			
Electronic data base consulted during the international search	(name of data base and, where practicable, search terms used)		
C. DOCUMENTS CONSIDERED TO BE RELEVANT			
Category* Citation of document, with indication, where	appropriate, of the relevant passages Relevant to claim No.		
X The Journal of Immunology, Voissued 15 April 1993, Nauss et a Peptides in a Structural Homolog MHC ", page 41A, Abstract 221	al., "Binding Interactions of gy Model of the DR1 Class		
Nature, Volume 358, issued 27 "Predominant Naturally Processes DR1 are derived from MHC-r Heterogenous in Size", pages 764 2, and Table 3.	elated Molecule and are 1, 3-7		
X Further documents are listed in the continuation of Box	C. See patent family annex.		
Special categories of cited documents: "T" later document published after the international filling date or priority			
"A" document defining the general state of the art which is not considered to be of particular relevance	date and not in conflict with the application but cited to understand the principle or theory underlying the invention		
E earlier document published on or after the international filing date	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step		
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other	when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be		
special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means	considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art		
P document published prior to the international filing date but later than the priority date claimed	*& document member of the same patent family		
Date of the actual completion of the international search Date of mailing of the international search report			
01 SEPTEMBER 1994 1 3 SEP 1994.			
lame and mailing address of the ISA/US Commissioner of Patents and Trademarks Authorized officer			
Box PCT Washington, D.C. 20231	H. Sidberry W. Kuza for		
Facsimile No. (703) 305-3230	Telephone No. (703) 308-0196		

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US94/05697

C (Continue	ation). DOCUMENTS CONSIDERED TO BE RELEVANT	
Category*	Citation of document, with indication, where appropriate, of the relevant passa	ges Relevant to claim No.
Y	The Journal of Immunology, Volume 150, No. 2, issued 15 January 1993, Boehncke et al., "The Importance of Dominant Negative Effects of Amino Acid Side Chain Substitution in Peptide-MHC Molecule Interactions and T Cell Recognition", pages 331-341, see Abstract, on page 331.	
x	The EMBO Journal, Volume 9, No. 6, issued 1990, Jardetzky al., "Peptide binding to HLA-DR1: a Peptide with most residu substituted to alanine retains MHC binding", pages 1797-1803 page 1798, page 1800, figure 4, and page 1801, figure 7.	ues
Ý	Nature, Volume 332, issued 28 April 1988, Brown et al., "A hypothetical model of the foreign antigen binding site of Class histocompatibility molecules", pages 845-850, see pages 845-8	П
·		
		·

INTERNATIONAL SEARCH REPORT

International application No. PCT/US94/05697

Box 1 C	Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)
This inter	national report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:
1. X	Claims Nos.: 2 because they relate to subject matter not required to be searched by this Authority, namely:
the	aim 2 is directed to a computerized model which encompasses scientific theory and computer programs to the extent at the International Searching Authority is not equipped to search prior art concerning such programs. Accordingly im 2 is withdrawn from search under PCT Rule 39 and PCT Article 17(2)(a)(i).
2.	Claims Nos.: because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
3.	Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).
Box II C	Observations where unity of invention is lacking (Continuation of item 2 of first sheet)
This Inter	national Searching Authority found multiple inventions in this international application, as follows:
1.	As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
2.	As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3.	As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:
	ı İ
	i
4.	No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:
Remark	n Protest The additional search fees were accompanied by the applicant's protest.
	No protest accompanied the payment f additional search fees.